

## 產品特點

產品特點

- 1 : 容量 : 500 個 RFID + Pincode
- 2 : 通訊 : 2.4G
- 3 : 電源 : DC12V
- 4 : 電池 : AAA 3 顆
- 5 : 通訊距離 : 2023 呎
- 6 : 通訊距離 : 15M



ACM404 產品特點，容量，通訊，電源，電池，通訊距離，TEA + Rolling Code 產品特點，容量，通訊，電源，電池，通訊距離。

- > 500 PIN / 個
- > PIN 碼 : 4 ~ 8 碼
- > 通訊距離 : 15m
- > 電池，LED
- > 3 顆 LED
- > 電池電流 (電池電流 < 10uA, Wireless Exit Button: < 10uA)








□  
□  
□  
□  
:  
L  
1  
3  
5  
x  
W  
5  
4  
x  
D  
1  
9  
(  
m  
m  
)  
□  
□  
□  
□  
□  
:  
L  
6  
5  
x  
W  
5  
4  
x  
D  
1  
9  
(  
m  
m  
)  
□  
□  
□  
□  
□  
□  
:  
L  
8  
3  
x  
W  
4  
x  
D  
1  
6  
(  
m  
m  
)



## Fast installation within 3 minutes



3M sticker for Wireless Keypad



Rip one side of the sticker



Stick it on the back of the keypad



Rip the other side of the sticker



Stick the keypad on the door




3M Sticker for Mini Controller



Rip one side of the sticker



Stick it on the back of the Mini Controller



Rip the other side of the sticker



Stick the Mini Controller on the door

000 00 000 00 000000, 000 00 000 00 00 0000 000 0000.



**ACM223**

00 000 RFID 0 000 000 00, 125Khz EM  
1000/4000 USer 00

**ACM209-NW**

000 00 RFID 00 00 000 00 (00 0),  
125Khz EM



## ACM208

RFID 125KHz 125KHz EM, Wiegand



## ACM210

RFID 125KHz 125KHz EM, Wiegand

## ACM225

RFID 125KHz EM, Wiegand

## ACM211B

RFID 125KHz EM, Wiegand

