



Infrared induction switch




特許商標 登録商標 著作権 © 2014 株式会社 東芝

製品仕様
 製品仕様 詳細仕様
 製品仕様 詳細仕様

86 * 86 * 24 mm
 製品仕様 詳細仕様
 3A 36VDC 製品仕様
 12V GND NO NC COM
 1000000 製品仕様
 製品仕様
 -10 °C ~ 55 製品仕様 製品仕様 131 - 製品仕様 製品仕様 14) 製品仕様 製品仕様
 0-95° (製品仕様 製品仕様)





□□□□□□ □□□□□□: _



□□□ □□□ □□□□□□



RE: Factory sale Switch Door Release exit button										
 <p>ACM-K818 New Large Button Mushroom Stainless steel switch Door release exit button B Size: 86Lx86Wx25H(mm) D Size: 86Lx50Wx25H(mm) A Size: 115Lx40Wx25H(mm) C Size: 115Lx70Wx25H(mm)</p>		 <p>ACM-K15 New Mushroom button Zinc Alloy Size: 53Lx53Wx28H(mm)</p>		 <p>ACM-K8 Stainless steel push button emergency key switch B Size: 86Lx86Wx25H(mm) D Size: 86Lx50Wx25H(mm) A Size: 115Lx40Wx25H(mm) C Size: 115Lx70Wx25H(mm)</p>						
 <p>ACM-K2A ACM-K2B</p>		 <p>ACM-K813A/K813B</p>		 <p>ACM-K9A ACM-K9B</p>		 <p>ACM-K14 ACM-K15</p>		 <p>ACM-K2A/B- (Remote control)</p>		
 <p>ACM-K11A ACM-K11B ACM-K11C</p>			 <p>ACM-K1 ACM-K1-1</p>		 <p>ACM-K6A ACM-K6B</p>		 <p>ACM-K11 A/B No touch Stainless Steel</p>		 <p>ACM-K818 A/B No touch Stainless Steel</p>	
 <p>Stainless steel K819A: 115mm*40mm; K819B: 86mm*86mm; K819C: 115*70mm</p>		 <p>Dimensions: 86*86mm Output Contact: NO/NC/COM</p> <p>ACM-K15 ACM-K15AL Size: 53*53mm Size: 53*53mm</p>		 <p>ACM-K3RG ACM-K3RR ACM-K3 ACM-K3R</p> <p>Resettable green Break Glass Fire alarm exit emergency door release button</p>						
RE: Mounted Back Box for Above door Exit Release Button										
 <p>Item: ACM-P86D Plastic Backbox size:86*86mm</p>		 <p>Item: ACM-M86 Metal Backbox size:86*86*27mm</p>		 <p>Item: ACM-M50 Metal Backbox size:86*50*27mm</p>		 <p>Item: ACM-M70 Metal Backbox size:115*70*27mm</p>		 <p>Item: ACM-M40 Metal Backbox size:115*40*27mm</p>		

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

□□□□□□□□ □□□□□□□□ □□□□□□□□

□□□□ :□□□□□□ □□□□
□□□□ 0.3 :□□□□□□ □□□□
□□ 8 × □□ 10 × □□ 10 :□□□□□□ □□□□





□□□□ □□ □□□□ □□ Realese □□□□□

K2B: 86 * 86 □□

□□□□ □□□□□□ □□□□ □□ Realese □□

□□□□□

K9A: 115 * 40 □□□

□□□□□□□□ □□□□□□□□) □□□□□ □□□□□ □□

□□□□□ □ NO / NC) K5B: 86 * 86 □□



RFID 的 应用 rfid 应用 20 年 以来 应用 范围 不断 扩大 应用 领域 不断 增加。

应用 范围 不断扩大:

20+ YEARS EXPERIENCE

OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

ADVANTAGE



WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



Supplier's Company

