


[illegible]

FHS S O O O O O O O O O O R E G

$\sim$

ISO 1866 CPEPC global impact

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100



Front side



Back side

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

-

 .

 - ACM Goldbridge

 -


1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

:

 :

Windows 7 64-bit 日本語版のインストールディスクを、Lenovo ThinkPad X220 にインストールする。





□□□□□ □□

ACM-UHF-M. UHF tag 860-915 □□□□ □□□□ RFID □ □ 4 * 25 * 148 □□□□□□□□ □□□□□□□□ □□□□□□□□ ACM-UHF-S UHF □ □ 54 * 86 □□□□ □□□□ □□□□ 915-860 □□□□□ □□□□ ACM 217 UHF USB Desktop Reader / Writer □ ACM 26C 125Khz EM □ □□□□□ □□□□ □□□□ ACM09G Active 2.4G Reader □□□□ □ □□□□□ □□□□ 50 ~ 10meter □ weigand 26/34 □□□□□□□□



UHF USB / 125 kHz EM 125 kHz EM

125 kHz EM

ACM 26C

125 kHz EM 125 kHz EM 125 kHz EM

125 kHz EM 1- 70

ACM09G

2.4 GHz 10 50 ~meter 26/34

50 ~meter 26/34



a: □□ □□□□□ □□□□ □□□□□ □ □□ □□□□□ □□□□ □□□□□.

a: 100 000 15-7 5000 7-3 .

a: _____ ._____ _____ _____ _____ _____

RFID 裝置應符合 ISO 15693 標準，RFID / NFC / RFID keybod / RFID 裝置應符合 ISO 15693 標準，RFID 裝置應符合 ISO 15693 標準。