

RFID 門鎖 安裝說明書
RFID 門鎖 安裝說明書
RFID 門鎖 安裝說明書 / 安裝說明書

ACM-A 60 門鎖 安裝說明書
ACM-A 60 門鎖 安裝說明書
ACM-A 60 門鎖 安裝說明書 Wiegand 門鎖 & 安裝說明書
ACM-A 60 門鎖 安裝說明書
ACM-A 60 門鎖 安裝說明書



[illegible]

WG 26 / 34

[illegible]

[illegible]

[illegible]

□
□
□
□
8
□
□
□
□
2
□
3
6
□
□
□
□
□

[illegible]

3. support .

.0.1

5.supports 8000.

.6

.7.

ACM-A60 Metal Standalone Rfid Door Access Control

ACM-A60 Metal Standalone Rfid Door Access Control

Touch metal door access controller

Support rfid card, password,
rfid card + password.
Support 8000 user capacity

Support fast data copy



Lightning delivery



Global sales



Package mail



Technical support



After-sale

Product function

- ◆ Touch control waterproof panel,
- ◆ Metal casing with blue backlight
- ◆ WG26 / 34 input / output
- ◆ Support card, pin, card + Pin
- ◆ Full programming from the keyboard
- ◆ Human tampering alarm function
- ◆ Can set the management card
- ◆ Active and passive lock signal output
- ◆ Imported double point relay output signal
- ◆ Non contact type for radio frequency identification transponder technology
- ◆ Connect to the external release button (exit button)
- ◆ Memory capacity: 8000 user cards and 1 passwords
- ◆ Do not need to be connected to the computer, it can work alone
- ◆ The same series of access control supports data backup and backup
- ◆ Can be used to read the header and a machine




[صورة مفصلة](#)


Wiegand 26 ١٢٨٨٨٨٨٨ ١٢٨٨٨٨٨٨ ١٢٨٨٨٨٨٨ ١٢٨٨٨٨٨٨ ١٢٨٨٨٨٨٨٨ ١٢٨٨٨ ١ ١٢٨٨٨٨٨٨٨

产品解析


Product analysis



Work indicator



Touch waterproof button & Card area



Door bell



□□□□□ □□

نحن شركة مصنعة لمراقبة الدخول ، لدينا نظام كامل لمراقبة الدخول المنتج على النحو التالي



ACM223

Touch Keypad RFID & AccessControl
 125 KHz (125 Khz) EM 1000/4000

ACM209-NW

Keypad Metal RFID AccessControl (125 KHz) EM 1000/4000

ACM208

Keypad Metal RFID AccessControl (125 KHz) EM 1000/4000

A graphic of a numeric keypad with buttons for digits 1-9, 0, and symbols like a lock, hash, and asterisk. A hand cursor icon is pointing at the keypad.



□□□□□□ □□□□□□ □□□□□ □ □□□□□□
□□□□ □□□□□ □□□) □□□□ □□□□□□)

00000000 00000000 0000 00000000 0000
 0 0000 0000 125 0 00000000 00 00000000
 00 0000 connect 00000000 wiegand

