

304 stainless steel IP67 (304 stainless steel IP67)

Model: ACM-K15A

Dimensions	115x40 mm
Material	1.7mm 304 stainless steel plate
Material	304 stainless steel plate
Protection grade	IP67
Rated voltage	3A 36VDC
Rated current	DC12
Terminal	4 terminals (NO / COM / NC / COM)
Weight	1000000 g
Life	0.14 mm





□□□□□ □□

[illegible]



□□□□ □□ □□□□ □□ Realese □□□□□

K2B: 86 * 86 mm

Releas
mm

K9A: 115 * 40 mm

mm) mm mm
NO / NC) K5B: 86 * 86 mm



.ᐃᐃᐃᐃ ᐃᐃᐃ ᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃ ᐃᐃᐃᐃ

ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃ .2 :

ᐃ: T / T ᐃ .ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃ ᐃᐃᐃ ᐃᐃᐃ
ᐃᐃᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃ (DHL ᐃ FedEx ᐃ TNT UPS ᐃ (ᐃᐃᐃ

ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃ ᐃᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃᐃ .3 :

.ᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃ:

ᐃᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃ .4 :

ᐃᐃᐃᐃ 100000 ᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ 15-7ᐃ ᐃᐃᐃᐃ 5000 ᐃᐃᐃᐃᐃ ᐃᐃᐃᐃ 7 ᐃᐃᐃ 3 ᐃᐃ ᐃᐃᐃᐃ .ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃᐃ ᐃ:

ᐃᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃ ᐃᐃ .5 :

ᐃᐃᐃᐃᐃᐃ .ᐃᐃᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃ ᐃᐃ ᐃᐃᐃ ᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃᐃ :ᐃ OEM
.ᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ

ᐃᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃ ᐃᐃᐃ ᐃᐃ .6 :

ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃᐃ RFID / ᐃᐃᐃᐃᐃᐃᐃ NFC / ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃᐃ RFID / ᐃᐃᐃᐃᐃ RFID
ᐃ ᐃᐃᐃᐃ RFID ᐃᐃᐃᐃᐃ 20 ᐃᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃᐃ ᐃᐃ ᐃᐃᐃᐃᐃᐃᐃᐃᐃ.