

ACM-K16B 86x50mm 16mm

Model: **ACM-K16B**

Dimensions	86x50 mm
Material	Aluminum die-cast with stainless steel button
Rated Current	3A @ 36VDC
Terminal Configuration	NC \ COM
Actuation Force	1000000 gf
Operating Temperature	-10 °C ~ 55 °C (131 - 131 °F) (14) (14)
IP Rating	0-95 (IP65)
Weight	0.14 kg



Hand hygiene stations should be placed in high-traffic areas and be easily accessible. They should be clearly marked and have a visible flow of water. They should also be regularly cleaned and maintained.





□□□□ □□ □□□□ □□ Realese □□□□□

K2B: 86 * 86 □□

□□□□ □□□□□□ □□□□ □□ Realese □□
□□□□□

K9A: 115 * 40 □□□

□□□□□□□ □□□□□□□) □□□□□ □□□□□ □□

□□□□□ □ NO / NC) K5B: 86 * 86 □□





1. 86 * 86 (mm) 86 * 86 (mm) 86 * 86 (mm)
 2. 86 * 86 (mm) 86 * 86 (mm) 86 * 86 (mm)
 3. 86 * 86 (mm) 86 * 86 (mm) 86 * 86 (mm)

86 * 86 (mm)

1. 86 * 86 (mm) 86 * 86 (mm) 86 * 86 (mm)
2. 86 * 86 (mm) 86 * 86 (mm) 86 * 86 (mm)
3. OEM / ODM 86 * 86 (mm)

000000 0 000000 00000 0 4 fashin 0 000000 0000000 0000 0 00000000 000000 00000000
:000000 000 00 00000 0 5

00000000 000 0000000 00 00000 0000000000 00000 000 00000 0 (1

000000 000 000 0000 00000 00000 000 000 000000000 00000 0 (2

00000000 00 0000000 000000 0000 00 000 000000 3-2 000000 0000000000 00000 000000 0 (3

00000000 000000 00000 30 ~ 7 0 0000000 000000 00000 5 ~ 1 000000 : 00000 000000 0 6

000 000000 000000 000000 000000 :000000 0 7: T / T 0 0000 0000 0 0000000 0000000

00 000 000000 000000 :000000 0 8 DHL 0 FEDEX 0 TNT 0 UPS 0 EMS 0 Forwarder by SEA 0 By AIR 0 000000 000000

00 000000 000000 00000 000000.

000000000000

00000 000000 0000000 0000 .1 :

0000 0 00000 0000 0000 000 000000 00 000000 00 00000000000 0000000 0000 00000000000 0000 000000000 00000 :0

.000000 0000 00000 00 0000000000 00000000 0000000 0 00000 000000

00000000 000000 00 00000 .2 :

0: T / T 0 .00000000 00000000 0 0000 0000

00000000 00 00000 00 000000 00000 00 0000000000 00000000 00000 (DHL 0 FedEx 0 TNT UPS 0 (0000

00000000 00 0000000 00000 0000 00000000 0000000 0000 .3 :

.00000 00 0000000000 0000000 00000000 0000000 00000 00 00000 00 00000000 :0

0000000000 0000 00000000 000000 00 00000000 0000 .4 :

00000 100000 0000000 0000000 15-70 00000 5000 000000 00000 7 0000 3 00 00000 .00000000 0000 0000000 0000 :0

0000000000 0000000 00000 00 .5 :

0000000 .0000000000 00000000000 00000000 0000000 0000 00 0000 0 000000000 000000000 00000 0000000 0000 :0 OEM

.0000000 00000

000000 00 00000000 00000 0000 00 .6 :

000000000 0000000000 000000000 00000 00 0000000 0000 RFID / 000000000 NFC / 000000000 00000000 RFID / 00000 RFID

0 00000 RFID 000000 20 00 0000000 0000000 00 00000000 00 00000000 000000000.