


□□□□□□□□ □□□ □□

□□□□□□□ □□□: **ACM-K4**

□□□□□□□□	86 × 86 × 6 □□□
□□□□□□□ □□□□□□	□□□□□□ □□□□□□ □□□□
□□□□□□ □□□□□□□□	3A □ 36VDC □□□□ □□□
□□□□□□□ □□□□□	NC \ NO \ COM
□□□□□□□□□□□ □□□□□□	1000000 □□□□□□ □□
□□□□□ □□□□□	□□□□ □□□
□□□□□□□ □□□□□□□ □□□□	-10 □□□□ 131 - □□□□□□□□ □□□□ 14) □□□□□ □□□□ 55 ~ □□□□□ □□□□□
□□□□□□□ □□□□□	0-95□ (□□□□□ □□□□)



Phosphor bronze parts



backside with PC material



Sturdy steel frame

# PC material

Champagne gold painting process, effective flame retardant, not easy to deform and change color, more resistant to pressure



PC material

.PC material is a type of plastic that is known for its strength and durability. It is often used in applications where high impact resistance is required, such as in automotive parts, electrical housings, and medical equipment. PC material is also known for its excellent optical properties, making it a popular choice for lenses and optical components. The champagne gold painting process mentioned in the text is a decorative finish that can be applied to PC material, giving it a luxurious appearance while maintaining its inherent properties.



□□□□ □□ □□□□ □□ Relese □□□□□

K2B: 86 \* 86 □□

□□□□ □□□□□□ □□□□ □□ Realese □□  
□□□□□□

K9A: 115 \* 40 □□□

□□□□□□□□ □□□□□□□□) □□□□□□ □□□□□□ □□  
□□□□□□ □ NO / NC) K5B: 86 \* 86 □□





.0000 000 0000 00 00000000 00000 0 0000 000000

**00000000 000000 00 00000 .2 :**

0: T / T 0 .0000000 0000000 0 000 0000

0000000 00 00000 00 0000000 00000 00 0000000000 00000000 00000 (DHL 0 FedEx 0 TNT UPS 0 (0000

**00000000 00 0000000 00000 0000 00000000 00000000 0000 .3 :**

.00000 00 0000000000 000000 00000000 00000000 00000 00 00000 00 00000000 :0

**0000000000 0000 00000000 0000000 00 000000000 0000 .4 :**

00000 100000 0000000 0000000 15-70 00000 5000 0000000 00000 7 0000 3 00 00000 .00000000 0000 0000000 0000 :0

**0000000000 0000000 00000 00 .5 :**

0000000 .0000000000 0000000000 00000000 00000000 0000 00 0000 0 000000000 000000000 00000 000000 0000 :0 OEM

.0000000 00000

**000000 00 00000000 00000 0000 00 .6 :**

000000000 000000000 000000000 00000 00 0000000 0000 RFID / 000000000 NFC / 000000000 00000000 RFID / 00000 RFID 0 00000 RFID 000000 20 00 0000000 0000000 00 00000000 00 00000000 000000000.