

ACM-K7 76Lx23Wx14H

ACM-K7

ACM-K7 76Lx23Wx14H	76Lx23Wx14H (mm)
ACM-K7 76Lx23Wx14H	ACM-K7 76Lx23Wx14H
ACM-K7 76Lx23Wx14H	ACM-K7 76Lx23Wx14H
ACM-K7 76Lx23Wx14H	3A @ 36VDC
ACM-K7 76Lx23Wx14H	NO / NC / COM
ACM-K7 76Lx23Wx14H	100000
ACM-K7 76Lx23Wx14H	-10 °C ~ 55 °C (131 - 14)
ACM-K7 76Lx23Wx14H	0-95% (RH)
ACM-K7 76Lx23Wx14H	0.02
ACM-K7 76Lx23Wx14H (PCS / CTN)	10 /

ACM-K7 76Lx23Wx14H (L) * 23 (W) * 14 (H)

ACM-K7 76Lx23Wx14H (L) * 23 (W) * 14 (H)

ACM-K7 76Lx23Wx14H

ACM-K7	الكمية / الكرتون	الوزن الإجمالي	حجم الورق المقوى
ACM-K7	250 قطعة	9.76 كغ	34 x 20 x 50

ACM-K7 76Lx23Wx14H

ACM-K7 76Lx23Wx14H (L) * 23 (W) * 14 (H)



□□□□ □□ □□□□ □□ Relese □□□□□

K2B: 86 * 86 □□

□□□□ □□□□□□ □□□□ □□ Realese □□
□□□□□□

K9A: 115 * 40 □□□

□□□□□□□□ □□□□□□□□) □□□□□□ □□□□□□ □□
□□□□□□ □ NO / NC) K5B: 86 * 86 □□



.0000 000 0000 00 00000000 00000 0 0000 000000

00000000 000000 00 00000 .2 :

0: T / T 0 .0000000 0000000 0 000 0000

0000000 00 00000 00 0000000 00000 00 0000000000 00000000 00000 (DHL 0 FedEx 0 TNT UPS 0 (0000

00000000 00 0000000 00000 0000 00000000 00000000 0000 .3 :

.00000 00 0000000000 000000 00000000 00000000 00000 00 00000 00 00000000 :0

0000000000 0000 00000000 0000000 00 00000000 0000 .4 :

00000 100000 0000000 0000000 15-70 00000 5000 0000000 00000 7 0000 3 00 00000 .00000000 0000 0000000 0000 :0

0000000000 0000000 00000 00 .5 :

0000000 .0000000000 0000000000 00000000 00000000 0000 00 0000 0 000000000 000000000 00000 000000 0000 :0 OEM

.0000000 00000

000000 00 00000000 00000 0000 00 .6 :

000000000 000000000 000000000 00000 00 0000000 0000 RFID / 000000000 NFC / 000000000 00000000 RFID / 000000 RFID
0 00000 RFID 000000 20 00 0000000 0000000 00 00000000 00 00000000 000000000.