

ACM-K7A 12V DC 22mA 55mA 1~15 38 -20~45 113x63x20 108

ACM-K7A



ACM-K7A 12V DC 22mA 55mA 1~15 38 -20~45 113x63x20 108

ACM-K7A 12V DC 22mA 55mA 1~15 38 -20~45 113x63x20 108

ACM-K7A

- > ACM-K7A 12V DC 22mA 55mA 1~15 38 -20~45 113x63x20 108

Table with 2 columns: Specification Name and Value. Rows include DC12V 22mA, DC12V 55mA, 1~15, 38, -20 °C ~ 45 °C, 113 x 63 x 20, and 108.







□□□□ □□ □□□□ □□ Relese □□□□□

K2B: 86 \* 86 □□

□□□□ □□□□□□ □□□□ □□ Realese □□  
□□□□□□

K9A: 115 \* 40 □□□

□□□□□□□□ □□□□□□□□) □□□□□□ □□□□□□ □□  
□□□□□□ □ NO / NC) K5B: 86 \* 86 □□





1. 304 스테인리스강 (K4B) : 86 \* 86 mm  
 2. 304 스테인리스강 (K14B) : 86 \* 86 mm  
 3. 304 스테인리스강 (K815B) : 86 \* 86 mm

## 서비스 정책

1. 주문 후 24시간 이내에 배송을 완료합니다.
2. 모든 주문은 고객님의 편의를 위해 무료로 배송됩니다.
3. OEM / ODM 가능합니다.
4. 패션 및 인테리어 용도로 사용됩니다.
5. 모든 주문은 고객님의 편의를 위해 무료로 배송됩니다.
6. 모든 주문은 고객님의 편의를 위해 무료로 배송됩니다.
7. T / T 또는 신용카드로 결제 가능합니다.
8. DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA, By AIR 등 다양한 배송 방법을 지원합니다.

## 문의처

문의사항은 고객센터로 연락주세요. **.1** :  
 문의사항은 고객센터로 연락주세요.

.0000 000 0000 00 00000000 000000 000000 0 00000

**00000000 000000 00 00000 .2 :**

0: T / T 0 .0000000 0000000 0 000 0000

0000000 00 00000 00 0000000 00000 00 0000000000 00000000 00000 (DHL 0 FedEx 0 TNT UPS 0 (0000

**00000000 00 0000000 00000 0000 00000000 00000000 0000 .3 :**

.00000 00 0000000000 000000 00000000 00000000 00000 00 00000 00 00000000 :0

**0000000000 0000 00000000 000000 00 000000000 0000 .4 :**

00000 100000 0000000 0000000 15-70 00000 5000 0000000 00000 7 0000 3 00 00000 .00000000 0000 0000000 0000 :0

**0000000000 0000000 00000 00 .5 :**

0000000 .0000000000 0000000000 00000000 0000000 0000 00 0000 0 000000000 000000000 00000 000000 0000 :0 OEM

.0000000 00000

**000000 00 00000000 00000 0000 00 .6 :**

000000000 000000000 000000000 00000 00 0000000 0000 RFID / 000000000 NFC / 000000000 00000000 RFID / 00000 RFID  
0 00000 RFID 000000 20 00 0000000 0000000 00 00000000 00 00000000 000000000.