



12v 12V 12V 12V 12V 12V / 12V 12V
12V 12V 12V 12V 12V

ACM-Y130 12V 12V 12V 12V 12V 12V 12V 12V
& 12V 12V 12V 12V 12V 12V 12V 12V
12V 12V 12V 12V 12V 12V 12V 12V
/ 12V 12V 12V 12V 12V 12V 12V 12V
12V



[illegible]

2
m
A
□
(
Y
-
1
3
N
O
□
□
□
□
□
□
□
m
A
□
(
Y
-
1
3
N
C
)

□
□
□
□
□
□
(
Y
-
1
3
N
O
Ø
□
□
□
□
□
□
□
□
□
(
Y
-
1
3
N
C
)


[illegible]



Advanatge □□□□□

ACM-Y130 0000 0 000000 & 00000 00000 00000000 0000 0000 00 0000000 00000000 0000 0000 00000 0000000000 00 Unlocked.It
0000 000000 00 000000 .000 / 00000 000000000000000000 0000000 0000000 00000000 00 0000 00000000000000 000000 00 0000
00000000.

Power-to-open & anti-formation.It PVC.



03 Low temperature design

less heat is safe and reliable.



04 Low Power Design

Rated Operating Voltage: DC 12V
Current: 240mA(Fail-secure) /
120mA(Fail-safe)

05 High-quality Aluminum Case

Made of high-quality aluminum for high hardness,
corrosion resistance & anti-deformation.



ACM Goldbridge

- ACM Goldbridge is a leading manufacturer of high-quality aluminum cases for electronic modules. The company's products are designed to provide high hardness, corrosion resistance, and anti-deformation. ACM Goldbridge is a leading manufacturer of high-quality aluminum cases for electronic modules. The company's products are designed to provide high hardness, corrosion resistance, and anti-deformation.

ACM Goldbridge



You may need





00000) 00000000000 000000 0000 000000
 000000 0000 0 00000 00000 (000 / 00000000000
 0000 0 PVC

0000 00000 0000000 0000000
 (00 / 000000000 0000) 00000000000
 000 0 00000 000 0 0000 0000 PVC

280kg (600lbs) በበለጸገው የሰውነት ስነ-ምግባር
በሰውነት ስነ-ምግባር ስለሚኖረው ለሰውነት
በሰውነት ስነ-ምግባር ስለሚኖረው ለሰውነት



التعليمات

1.1 :

...

2.2: $\frac{t}{t + \text{paypal}}$

a: 0000 00 00000000 0000 000000 0 00 000000 0000 00000 000000.

Q: 4. 5000 7-3 . pcs 100 15-7

[illegible]

000000 00 000000 0000 00 .6 :
 00000000 00000000 00000000 0000 00 000000 000 RFID / 00000000 NFC / RFID keybod / RFID 000000 rfid 00000000 00000000
 0000 20 00 0000 000000 00 00000000 00 00000000.