



0000000 000000 000 000000000 000000 000 / 00000 000
 000000000 0000000000000


[illegible]

[illegible]

D C 1 2 V
C 1 2 V
D C 2 4 V
) 2 m A
 $\square$ (N O)
2 g m A
 $\square$ (N C)

PVC





電氣鎖 電氣鎖 電氣鎖 電氣鎖 電氣鎖 電氣鎖 電氣鎖 電氣鎖 電氣鎖 電氣鎖 (NC / NO)

03 Low temperature design

less heat is safe and reliable.





04 Low Power Design

Rated Operating Voltage: DC 12V
Current: 240mA(Fail-secure) /
120mA(Fail-safe)


05 High-quality Aluminum Case

Made of high-quality aluminum for high hardness,
corrosion resistance & anti-deformation.







Cutting according to the size of the electric lock




Insert extension plate



Fix extension plate




After installed, power on and test it



Fix strike lock



Finish



Metal door frame

Wooden door frame



〇〇〇〇〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇〇〇 〇 〇〇〇〇〇〇〇 〇〇〇〇〇〇〇〇 〇〇〇 〇 〇〇 〇〇 〇 〇 〇〇 〇〇 〇 〇〇〇〇〇〇 〇 〇〇 〇〇〇 〇〇 〇〇〇〇 〇〇 〇〇〇 〇〇〇〇〇〇 〇〇〇〇〇〇〇
 〇〇〇〇〇〇〇 AIR

• 00 00000 00000 0000 000000 0000 000000

□□□□□□ □□ □□□ 60 □ □□□□□ □□□ □□□□ 1 :□□□ □□□□□□□ □□□□□□□ □□□□□□□ □



You may need





ACM-Y130

ACM-Y130 是 AC 電壓的電磁鎖 (NC / NO)
 適合安裝在木門或 PVC 門上

ACM-Y131

ACM-Y131 是 AC 電壓的電磁鎖 (NC / NO)
 適合安裝在木門或 PVC 門上

ACM-Y132

280 型電磁鎖 (長度 600) 適合安裝在
 木門或 PVC 門上 : 適合安裝在木門或 PVC
 門上，安裝時請參考說明書。





ACM-Y280

ACM-Y100S

ACM-Y066

خدمت

- (1) ، جميع المنتجات قد تم فحص الجودة بدقة في المنزل قبل التعبئة
(2) ، جميع المنتجات سوف تكون معبأة جيدا قبل الشحن
(3) ، جميع منتجاتنا لديها 2-3 سنة الضمان إذا لم يكن الضرر الناجم عن الإنسان
6 ، أسرع التسليم : حوالي 1 ~ 5 أيام لعينة النظام ، 7 ~ 30 أيام لطلب بالجملة
ويسترن يونيون ، باي بال. ، T / T : 7 ، الدفع: يمكنك الدفع للنظام عبر
يمكنك أيضًا اختيار وكيل الشحن ، By AIR و Forwarder by SEA و EMS و UPS و TNT و FEDEX و DHL ، الشحن: لدينا تعاون قوي مع
الخاص بك.

Figure 1: $\mathbb{R}^2$ with the ℓ_1 norm

[illegible]

□□□□□□ □□□□□ □□ □□□□ .2 :□

a: t / t paypal .

□□□□□□ □□ □□□□ □ □□□□□ □□□□ □□ □□□□□□□□ □□□□□□ □□□□ (DHL □ FedEx □ TNT UPS □ (□□□

[illegible]

a: □□ □□□□□ □□□□ □□□□□ □ □□ □□□□□ □□□□ □□□□□ □□□□□.

[illegible]

a: 100 000 15-7 5000 7-3 0000 .000000 000 000000 000

Q: 5. በጥንታዊ የጥንቃቄ ምርመራ ዘዴዎች ውስጥ የሚገኝ የጥንቃቄ ምርመራ ዘዴዎች

a: 0000 00 00000000 00000000 000000 000000 .00000000 0000 00000000 00000000 000 00 000 0 000000 00000000 00000 00000000 .00000 000000

Figure 6.6: A plot of the function $f(x) = x^2$ on the interval $[0, 1]$.

00000000 00000000 00000000 0000 00 000000 0000 RFID / 00000000 NFC / RFID keybod / RFID 0000 0 000000 RFID 00000000
 000000 20 00 0000 000 000000 00 00000000 00 00000000.