

000000 **Z** 000000 00 000000 0 0000 **280** 0000 000000
 000000000000

□□□□□ Z

1. 圖中電阻器 Z 的阻值為多少歐姆？請在圖中電阻器 Z 兩端標出電壓極性。
 .電阻器 Z 的阻值為多少歐姆？請在圖中電阻器 Z 兩端標出電壓極性。
 .電阻器 Z 的阻值為多少歐姆？請在圖中電阻器 Z 兩端標出電壓極性。
 180 :電阻器 Z 的阻值為多少歐姆？請在圖中電阻器 Z 兩端標出電壓極性。
 3Z / 280Z

[illegible]

A

.000000 000000 000 0000000000
.000000000 000000 000000 0000000 000 000000
0000000 00 0000000 00000 00000.






ברכיץ מתכת

- ברכיץ זה מתכתב עם ברכיץ מתכת אחר של חברת ACM Goldbridge ומאפשרת להתקין את הברכיץ בצורה נכונה.

ברכיץ זה מתכתב עם ברכיץ מתכת - ACM Goldbridge. מתכתב עם ברכיץ מתכת אחר של חברת ACM Goldbridge ומאפשרת להתקין את הברכיץ בצורה נכונה.

ברכיץ מתכת

Installation diagram



Installation real effect figure



Installation real effect figure

Installation real effect figure

Our products can be shipped by DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA, AIR. We can also ship by sea or air.

Installation real effect figure

Our products can be shipped by U: 1. The weight of the product is 30kg. The size of the product is 30.5 * 20 * 54.5cm. The weight of the product is 20kg. The size of the product is 30.5 * 20 * 54.5cm. The weight of the product is 20kg. The size of the product is 30.5 * 20 * 54.5cm.



תנאי אחריות

האחריות של חברתנו מוגבלת ל-20 שנה. אחריות זו מוגבלת למוצר בלבד, ללא שירותי אחזקה או תחזוקה. אחריות זו אינה כוללת את עלויות הובלה, פירוק, התקנה או שירותי אחרים. אחריות זו אינה כוללת את עלויות החומרים או העבודה. אחריות זו אינה כוללת את עלויות הובלה, פירוק, התקנה או שירותי אחרים. אחריות זו אינה כוללת את עלויות החומרים או העבודה.



ACM-Y280 □□□

□□□ L

250 : □□□□□x47mm

□□□ □□□□□□□□ 280 : □ □□□□□□□
□□□□□□□□

ACM-Y280 ZL

□□□ ZL

250 : □□□□□x47mm + 180x53mm

□□□ □□□□□□□□ 280 : □ □□□□□□□
□□□□□□□□

ACM-Y280 □□

□□ □□□

182 : □□□□□x45x28mm

280 :
280



ACM-Y280 LC

LC
280 :
280

ACM-Y280 ZLC

ZLC
280 :
280

ACM-Y280 Z

Z

180 :□□□□x53mm

□□□ □□□□□□□ 280 :□ □□□□□□

□□□□□□□

You may need

□□□□□□ □□□□ □□□□ □□□□ □□□□



ACM-Y700

□□□□□ □□□□□□□ □□□□□□□ □□ □□□□

□□□□ □□□□ □□□□□□□ □□□□□

ACM-Y600

□□□□ □□□□ □□□□□□ □□□□□□ □□□□
□□□□ □□□□ □□□□□□

ACM-Y601

□□□□ □□□□□□ □□□□ □□□□□□□□□□ □□□□
□□□□

□□□□□□ □□□□□□□□ □□ □□□□ □□□□□□□□ □□ □□□□□□



ACM-WEG02

□□□□□ □□ □□□□□□ □□ □□□□□□ □□□□
□□□□□□ (RS232 □□ RS485 □□ TCP /
IPC Communication)

ACM-K2A

□□□ □□□□ □□ Realese ExitButton □
K2A: 115 * 40 □ □□ K2B: 86 * 86 □□

ACM-Y806-3A

12 □□□□□□□□□□ □□□□□□ □□□□□□V / 3A



ACM-Y280

280) □□□□□ □□ □□□□ □□□□□□□□ □□
□□□ 600 / □□□)

ACM-26X

125 □□□□Khz wiegand 26/34 □ :□□□□□□
115mm × 75.5mm × 16.8mm

