



350 磅 / 800 磅 EM LED

□□□□ □□□□ (□□□ 350) □□□ 800 □□□□ □□□□□□□□ □□□

[illegible]

[illegible]

SINONCE / COM / + / -

[illegible]



Advantage

.0000 800 0 000 350 00000 00000 000000
24 00 12 00000 00000 VDC (.00000000
12 00 00000000 00000VDC .00000000 000

0000 MOV .0000000 0000000 0000000
 .000000 00000 000 0 00000 000 0 000000 00000 000000
 0000 LED .00000 0000 000 0000
 00000 0000 000000 (NO / NC / COM).
 0/3/6/9 :00000sec.
 .00000 00000000 000000000000 000000
 .0000000 00000000000 00 0000 0 00000 00000 0000
 .00000000 000 0000 000000
 .00000000 00000000 0000000 0 0000000 000 00000
 00000 CE 000000 000000 000000 0000 00 00000000 000000 0 000000000 00000000 00.

000000 0000 0 OEM / ODM 00000



000 00 00000 000 LED 000000 00000 . 00000 000 00000 0 00000 000 00000 00000 0 000000 000000 0000000
 000000 000000.

ACM-Y350 00000 000000 00000 .0000 00000000 00000 PCB. 00000 24 0 00000 12 000000 00000 000000 000 00000000
 00000 00 00000000 00000000 .000000 7 00000000 PCB 000000 0 000000 000000 00 00000 000 000 .0000000000
 0000000000 00 000000 0000 00 0000000 0000000000 0000000000 0000 00000 00000 0 0000000000 0000000000.

STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.



3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).



7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.



9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.



11 Use Allen key to screw the lock body on the mounting plate.



12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

📦📦📦📦📦📦📦📦📦📦

📦📦📦📦📦📦

📦📦📦📦📦📦📦📦 DHL 📦 FEDEX 📦 TNT 📦 UPS 📦 EMS 📦 Forwarder by SEA 📦 AIR

.📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦

📦📦📦📦📦📦📦📦📦📦

📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦 6 📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦 1 :📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦

📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦 50 .📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦 24 :📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦 16 * 30 * 35 :📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦📦



You may need



ACM-Y280N

(길이 600 / 무게 280) 강력하고 내구성이 뛰어난 자석
 자석과 자석 사이에 자석과 자석 : 자석 자석
 자석과 자석 | 자석과 자석

ACM-Y180

(길이 300 / 무게 180) 강력하고 내구성이 뛰어난 자석
 : 자석 자석. 자석 자석 2 자석 자석 자석
 자석 자석 자석 자석 자석 자석 자석 자석
 자석 자석 자석 자석.

ACM-Y280

280 강력하고 내구성이 뛰어난 자석 (길이 600) 자석

ACM-Y280-L L 350 / 280
ACM-Y180ZL ZL 300 / 180



ACM-Y280-L

L 350 / 280

ACM-Y180ZL

ZL 300 / 180

ACM-Y280-ZL

ZL 350 / 280

خدمتنا

سيتم الرد على أي استفسارات في غضون 24 ساعة ، 1
2 ، الصانع والمورد المهني ، مرحبا بكم في زيارة موقعنا على شبكة الإنترنت ومصنعنا
3 ، متاح OEM / ODM
سعر معقول وتنافسية ، مهلة سريعة ، 4 fashin ، جودة عالية ، تصميم
5 ، خدمة ما بعد البيع:
(1 ، سيتم فحص جودة جميع المنتجات بدقة في المنزل قبل التعبئة
(2 ، جميع المنتجات سوف تكون معبأة بشكل جيد قبل الشحن
(3 ، جميع منتجاتنا لها ضمان لمدة 2-3 سنوات إذا لم يكن الضرر ناتجًا عن الإنسان
6 ، تسليم أسرع : حوالي 1 ~ 5 أيام لعينة النظام ، 7 ~ 30 يوما للطلب بالجملة
ويسترن يونيون ، باي بال. ، T / T : 7 ، الدفع: يمكنك الدفع مقابل الطلب عبر
يمكنك أيضًا اختيار وكيل الشحن ، By AIR و Forwarder by SEA و EMS و UPS و TNT و FEDEX و DHL ، الشحن: لدينا تعاون قوي مع
الخاص بك.

التعليمات

1. : قبل

الرجاء التحقق من المعلومات التالية قبل الطلب. نحن نضمن جودة منتجاتنا وسرعة تسليمها. نحن نضمن لكم أفضل خدمة ما بعد البيع. نحن نضمن لكم أفضل سعر.

2. : قبل

الرجاء التحقق من المعلومات التالية قبل الطلب. نحن نضمن لكم أفضل خدمة ما بعد البيع. نحن نضمن لكم أفضل سعر. نحن نضمن لكم أفضل جودة.

3. : قبل

الرجاء التحقق من المعلومات التالية قبل الطلب. نحن نضمن لكم أفضل خدمة ما بعد البيع. نحن نضمن لكم أفضل سعر. نحن نضمن لكم أفضل جودة.

4. : قبل

الرجاء التحقق من المعلومات التالية قبل الطلب. نحن نضمن لكم أفضل خدمة ما بعد البيع. نحن نضمن لكم أفضل سعر. نحن نضمن لكم أفضل جودة.

5. : قبل

الرجاء التحقق من المعلومات التالية قبل الطلب. نحن نضمن لكم أفضل خدمة ما بعد البيع. نحن نضمن لكم أفضل سعر. نحن نضمن لكم أفضل جودة.

6. : قبل

الرجاء التحقق من المعلومات التالية قبل الطلب. نحن نضمن لكم أفضل خدمة ما بعد البيع. نحن نضمن لكم أفضل سعر. نحن نضمن لكم أفضل جودة.