



Em4100 Em Rlessless Rfid Reader

ACM09M is a 125K RFID reader with a USB interface. It is designed for easy integration into various systems. The device is small and portable, making it suitable for use in a wide range of applications. It supports the Em4100 protocol, which is commonly used for access control and identification. The reader is compatible with various operating systems and software solutions. It offers reliable performance and is easy to use.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60





RFID ACM26X

125 26/34
115 :mm × 75.5mm × 16.8mm

RFID ACM26G

125 13.56 /
wiegand 26/34 / RS232

KR600E RFID

125KHZ 13.56 / Mhz
Wiegand
26bit





RFID ACM-EMI-S RFID

125Khz EM RFID
 54 * 86 mm

ACM-MF1 RFID Crad

MF1 1K Compatiable Card

ACM-ABS003 RFID

RFID

125 KHz EM / 13.56 MHz /
 UHF RFID
 :
 .

RFID

- ACM Goldbridge RFID
 .
 - ACM Goldbridge .
 -.

RFID

- 1
- 2
- 3 OEM / ODM
- 4 fashin
- 5
- (1
- (2

00000000 000000 0000 0000 00 0000 0000000 0000 3-2 000000 0000000000 00000 0 (3
00000000 000000 00000 30 ~ 7 0 0000 00 000000 00000 5 ~ 1 000000 :00000000 00000 0 6
00000 00 0000000 000000 000000 :0000000 0 7: T / T 0 0000 0000 0 00000000 00000000
8 0 000000000 0000000000 0000 0 000 000 00 000 000 00 000 0000000 0 000 0000 000 0000 000000 000000 :0000000
0 0000000 000000 000 000000 00000 0 AIR 0 000 0000000 0000000 00000 0000000 00000 000000.

000000000000

000000000 0000 00000000 0000 .1 :0
0000 0 0000 00000 000 0000000 000 000000 000 000000 000000000000 0000000 0000 00000 :0
.000000 0000 00000 000 000000000 00000000 00000 0000 0000 0 0000000 0000000

000000000 0000000 000 00000.2 :0
a: 0 0000000000 00000 t / t 0 paypal 0 .000000000 000000000
000 000 000 000 000 000 00000000 0 000 0000 000 000000 000000 00000 000000 000000 00000
(000000000)

0000 00000000 00000000 000 00000000 00000 0000 00000000 00000000 0000 .3 :0
a: 00000 000 00000000000 0000000 0000000 0 000 00000000 00000 0000000 00000000.

Q: 4. 00000000 0000 00000000 000000 00000000 0000
5000 0 00000 7-3 00000 .00000000 0000 000000 :0 pcs 0000 100 0 00000 15-7 0

Q: 5. 0000 00000000 00000000000 000000 00000
000000 0000000 .0000000000 0000000000 00000000 0000000 0000 000 0 000000000 000000000 00000 000000 0000 :0
.000000 0000000 00000 000 000000000 0000000000

0000000 000 00000000 00000 000 .6 :0
000000000 0000000000 00000000 00000 000 000000 0000 RFID / 000000000 NFC / RFID keybod / RFID 000000 rfid
00000 20 000 00000 000000 000 00000000 000000000 000000000 000000000.