

[illegible]

but to

M **F** **E** **S** **A** **N** **C** **E** **S** **I** **N** **T** **R** **O** **D** **E**

[illegible]

--	--	--	--	--	--

-

ACM211B 物联网 物联网 物联网 Rfid 物联网 1000 物联网 物联网 物联网 物联网 物联网 物联网

Access card password machine



Touch Operation

Touch panel buttons input, simple and beautiful.



Doorbell Input

The doorbell button and interface: buttons and isolation circuit, connect to any external bell.



Independent Access Control

Completely independent access control, can support three mode authentication.

Verification Method

- 1. Card Operation
- 2. Password Operation
- 3. Card + Password Operation



Multifunctional Access Control Interface

Support for Electric lock, Doorbell, Alarm, Door sensor, Exit button.

APP to lock / unlock the door



□□□□□ □□

نحن شركة مصنعة لمراقبة الدخول ، لدينا نظام كامل لمراقبة الدخول المنتج على النحو التالي



ACM223

Touch Keypad RFID & AccessControl
 125 KHz (125 KHz) EM
 1000/4000

ACM209-NW

Keypad Metal RFID AccessControl
 (125 KHz) (125 KHz) EM

ACM208

Keypad Metal RFID AccessControl
 (125 KHz) (125 KHz) EM



ACM210

ACM210は、ACM210のキーパッドと、ACM210のキーパッド（ACM210のキーパッド）

ACM225

ACM225は、ACM225のキーパッドと、ACM225のキーパッド（ACM225のキーパッド）
 125のキーパッドと、ACM225のキーパッド（ACM225のキーパッド）
 connect、wiegand

ACM211B

ACM211Bは、ACM211Bのキーパッドと、ACM211Bのキーパッド（ACM211Bのキーパッド）
 connect、wiegand

