□□□□□□ □□□



1 2 3
4 5 6
7 8 9
* 0 #
116 mm
71 mm
22 mm

□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□

C
E
&
I
S
O
9
1
1
2
V
2
3
-
6

V
6
m
A
3
A
2
0

-45[illegible]~60[illegible]1[illegible]~9[illegible]

9

3

2
6

حالة معدنية ، ضد التخريب
لوحة مفاتيح رقمية تعمل باللمس بإضاءة خلفية
، وحدة تحكم في الوصول وقارئ مستقل متعدد الوظائف
واجهة WG: إدخال / إخراج WG26
السعة: 2000 بطاقة / كود
ثلاثة مداخل: بطاقة ، رقم تعريف شخصي ، بطاقة + رقم تعريف شخصي

□□□□□□ □□□

□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
□
R
F
I
D

rfid RFID

عبارة عن وحدة تحكم بسيطة في ACM-214A
الوصول إلى الباب لتطبيق الباب الواحد.
باستخدام هذا الجهاز ، يمكن للمستخدم فتح الباب عبر

Product Parameters

Operating voltage	DC12V
Static current	⩽30mA
Reading card distance	3~6cm
Record capacity	2000
Short-circuit protection	Protection responding time ⩽100μs
Temperature	-35°C to 60°C
Humidity	10%~90%
Electric lock output	⩽30A
Alarm output	⩽20A
Unlock time	0~99 s (adjustable)

Three user modes

Card / PIN / Card+PIN

ACM-214A

ACM-214B

* Zinc alloy made housing, polished surface, sturdy and durable

Standalone
Metal Access Controller

Smart and Waterproof Design for Outdoor and Indoor Use

Details

To meet your critical requirements of the product

Backlit keys

Capacitive touch keypad, illuminated digital button design Easy to find the keypad in a dark night

External doorbell interface availabel

With doorbell keys and interface, keys isolated from circuit, can be connected with most doorbells

Wiegand Interface

With Wiegand output interface, 26 bit Wiegand card number output
Support 4 digital password, support anti-theft setting

Waterproof Design

Sealed parts for preventing water and rain



□□□□□□

□□□□□□

1. □□□□ 24 □□□□ □□ □□□ □□ □□□ □□□□ □□□□
□□□□□□□ □□□□□□□□ □□□□ □□□ □□□□□□ □□□□□ □□ □□□ □□□□□ □ □□□□□□□ □□□□□□□ □□□□□□ .2
3. OEM / ODM □□□□
□□□□□□ □ □□□□□ □□□□ .4 fashin □ □□□□□□ □□□□□□□ □□□□ □ □□□□□□□□ □□□□□□ □□□□□□□
:□□□□□ □□□ □□ □□□□ .5
□□□□□□□ □□□ □□□□□□ □□ □□□□ □□□□□□□□ □□□□ □□□ □□□□ :□
□□□□□ □□□ □□□□□ □□□□□□□□ □□□□ □□□□□ □□□□ :□
□□□□□□□ □□ □□□□□□ □□□□□ □□□ □□ □□□ □□□□□ 3-2 □□□□ □□□□□ □□□□□□□□ □□□□ □□□□□ :□
□□□□□□□ □□□□□ □□□□ 30 ~ 7 □ □□□□□□ □□□□□ □□□□ 5 ~ 1 □□□□□ :□□□□ □□□□□ .6
□□□□ □□ □□□□□ □□□ □□□ □□□□□ :□□□□□ .7: T / T □ □□□ □□□□□□□ □□□□□□□□ □ □□□ □□□ □ □□□□□□ □□□□□□
□□ □□□ □□□□□ □□□□□ :□□□□□.8 DHL □ FEDEX □ TNT □ UPS □ EMS □ □ □□□□□ □□□□□ □□□□ □□ □□□□□ □□□□
□□ □□□□□ □□□□□ □□□□ □□□□□□ □□□□□ □□□□□.

□□□□□□ □□□□□

- □□□□ □ □□□□□□□ □□ □□□□□□ □□□□□ □□□ □□ □□□ □□□□□□ □□□□ □□□□□□ □□□□ ACM Goldbridge □□□□ □□□□□□
.□□□□□ □□□ □□□□□□□□ □□□□□

□□□□□□ □ □□□ □□ □□□□□ □□□ - ACM Goldbridge .□□□□□□□ □□□□ □□ □□□□ □□□□

□□□□□ □□□□□□ □□□□ □□□□□ □ □□□□□□□□□ □□ □□□□ -.

□□□□□□□□ □□□□□□□□ □□□□□□□

□□□□□ □□□□□
□□ □□□□ □□□□ □□□□ □□□ DHL □ FEDEX □ TNT □ UPS □ EMS □ □□□ □□□□ SEA □ AIR
.□□ □□□□□ □□□□□□□ □□□□ □□□□□□ □□□□ □□□□□

□□□□
□ □□□□□□□ □□ □□□□ 100 □ □□□□□ □□□ □□□□ 1 :□□□□□□□□ □□□□ □□□ □□□□□□ □□ □□□□□□ □□□□
□□□ 13 :□□□□□□□□ □□□□□ □ □□ 28 * 31 * 45 :□□□□□□□ □□□.

□□□□□□

□□□□ ACM Shenzhen Goldbridge □□□□□□□□

□□□□□□□ □□□□□□□□□ □□□□□□□□ □□□ □□□□□□ RFID .□□□□□ 20 □□□ □□□□□□ □□□ □□ □□□□□□□□ □□□□□ □ □□□□□ □□ □□□□□□ □□□□□□ □□□□□ □□ □□□□ □□□□ □□□□□ RFID. □□□□□ :□□ □□□□□ □□□□□ □□□□□□ RFID □ □□ □□□□□□ □□□□ □□□ RFID □ □□□□ RFID □ □□□□□ RFID □□□□□ □□□□□ □□ □□□□□□□ RFID. □□ □□□□□□ □□□□□ □□□□□□ □□□□□ □□□ □□□□□□.

□□□□

□□□□□ □□□□□□□□□ □□□□□ □□□□□ □□ □□□□□□□ □□ □□ □□ □□□ □□□ □□□ .□□□□□□□ □□ □□□□□□ □□□ □□□□ □ □□□□□ □□ □□□□□ □□□□ □□□□ □□ □□□ □□□□□□□ □□□□□ .□□□□□□ Alibaba □□□□□ □□□ □□□□□ □□□□□ □□□□□□□ □□□□□□□ .□□□□ □□□ □□ □□□□□□□□ □□□ □□□□□□.

SHENZHEN GOLDBRIDGE INDUSTRIAL CO., LTD

Address: Futian District,Shenzhen of China

Telephone: +86-755-83767678

Contact Person: Lily Jiang

WhatsApp and Mobile Phone: +86-13554918707

Skype: lily-jiang1206

E-mail: sales@goldbridgesz.com

Website: http://www.goldbridgesz.com