

A
C
M
9
1
8
K
U
H
F
4
-
A
n
t
e
n
n
a
c
c
h
a
n
n
e
l
s
□
□
□
□
&
a
m
p
□
w
r
i
t
e
r

[illegible]

[illegible]



R S 4 8 5 □ R S 2 3 2 □ □ □ □ □ □ □ □ □ □ T c p i p □ 9 V :

[illegible]

[illegible]

□□□□□□ □□□□□□

1 □ □ □□□□□□□□ □□□□□□□□

□□□ □ 2 ISO18000-6C (EPC C1G2) □ □□□□□□□□□ □□□□□ ISO18000-6B □
□ (□□□□□□□□ □□□□ □□□□□□) □□□□□□ □□□□ □□□□ □□□□ 928 ~ 902 □ 3

4 □ FHSS □ □□□□□□□ □□□□ □□□□□ □□

□□□□□ □□□ □ 5 RF 30 □□□ □□□dbm (□ □□□□□□□□ □□□□)

□□□□□ □□□□ 4 □ 6 TNC □

□ □□□□□ □□□□□□□ □□□□ □□□□□□□ □ □□□□□□□ □□□ □ 7

□□□ □ 8 epc □ tid □ □□□□□□□□

□ □□□□□□ □□□□□□□ □□□□□□□ 9 + □□□□ □□ □□□□□□□□ □□□□□ □□□□□ □ 9


□□□ □ 10 RS232 □ RS485 □ TCPIP □ □□□□□□□ □□□□ □□□□□ □□

□□□□□ □ □□□□□□ □□ □□□□□□ □ 11 □ GPIO □ □□□□□□□□□

□□□□□ □□□□□□□ □□□□□ □ 12.

□□□□□□ □□□□







Parking lot vehicle access control system



Vehicle tracking system



Sports timing system



Warehouse management

無線電通訊系統

無線電通訊系統

無線電通訊系統 無線電通訊 UHF: 1 10 無線電通訊 無線電通訊 PCS 無線電通訊 無線電通訊

無線電通訊 1 :無線電通訊 無線電通訊 無線電通訊 6 * 32 * 32 :無線電通訊 無線電通訊.





RFID 2000

RFID 2000
 2000
 CO FTA Form F Form E ...
 exw fob fct
 cif cfr ...

RFID 2000

uhf ACM812A ACM802A ACM818A ACM801A. (200)





ACM812A

2-5m 読取範囲 読取速度 UHF 読取範囲
26 読取範囲 読取速度 RS232 / 485

ACM818A

読取範囲 UHF 読取 20-10 読取範囲 読取速度
26 読取範囲 読取速度 RS232 / 485

ACM802A

8-10m 読取範囲 読取速度 UHF
26 読取範囲 読取速度 RS232 / 485



26 □□□□□ □□□□□ □ RS232 / 485

UHF + WIFI + GRPS

4 00000 000000 0000 0000 0000 UHF

Page 10 of 10

□□□□□□ □ □□□□□ □□□□□□ □ □□□□□ / :□□□□ □□□□□□ □□□□□□ □□□□□□ :□□□□□□ □ 7

Page 10 of 10

□□□□□ □□ □□□□□□ □□□□□ □□ .6 :□

RFID / NFC / RFID keybod / RFID 20