

## 13.56mhz ACR122U USB [][[][] nfc [][[][]

\_\_\_\_ **nfc** \_\_\_\_\_

1 3

. 5

6 M H Z



# PRODUCT DETAILS



Size: 98.0 mm x 65.0 mm x 12.8 mm

Weight: 70.0 g

Interface: USB Full Speed

Applications: E-Government,

Banking&Payment, e-Healthcare, Access

Control, Network Security,

e-Purse&Loyalty, Transportation, ect.











# $\verb| | | | | | | | | ACM08N RFID$

125 0000 0000 / MF1 USB 000 0000 00000

### **ACM812A UHF RFID**

2meter  $\sim$  5meter UHF Reader $\square$  Wiegand

26 | RS232 / 485

ACM26C 125 [][][]

0000 00000 00000 rfid

125Khz EM Long range reader 70cm-



### **TITTE ACM-EMI-S RFID**

### **ACM-MF1 RFID**

MF1  $\square\square\square\square$  Compatiable. 54 \* 86  $\square\square\square$ mm

### ACM-ABS003

125 0000 0000 EM / 13.56mhz
00000 0 0000000 00000 00 00000000
0 0000 0 00000 0 0000 :0000000

# 

# 

3 | OEM / ODM | | | | | |

000000 0 000000 0 4 fashin 0 00000 0000 0 00000 000 0 000000

:00000 000 00 0000 0 5

 $00000\ 000\ 000\ 0000\ 0000\ 0000\ 0000\ 0000\ 0000\ 0000\ 0000\ 0000$ 

000000 0000 0000 30  $\sim$  7 0 000 00 00000 5  $\sim$  1 00000 :000000 0000 0 6

0000 07: T/T 0 000 0 00000 00000 00000

Q: 4. 000000 000 000000 00000 00000

 $5000 \ \square \ \square\square\square \ 7-3 \ \square\square\square \ . \ \square\square\square\square\square \ \square\square\square \ \square\square\square : \square \ pcs \ \square\square \ 100 \ \square \ \square\square\square \ 15-7 \ \square$ 

Q: 5. 000 000000 0000000 00000 0000

 $0: 6. \ 00 \ 0000 \ 00000 \ 0000$