

Related UHF R2000 Fixed Reader


TCP/IP 8 ports Impinj R2000 Chip UHF Fixed RFID Readers



Product technical parameter

Model number	ACM-919L
Engine	Design based on Impinj R2000 chip
Frequency	865 ~868MHz (EU standard),902-928MHz (US standard)
Protocol	ISO18000-6B/6C(EPC GEN2)
Work mode	Answer Mode,Real-time Inventory,Trigger Mode
Reading range	1~15m (depends on antenna gain)
Tag buffer size	700pcs (Max. 496bits EPC length)
Inventory	Support EPC and TID inventory
Antenna ports	8 TNC antenna ports
Interface	RS232/RS485/TCP/IP/USB/POE/WiFi (optional)
Support	RSSI
RF power	33dbm (adjustable)
Power supply	9V
Current Dissipation	0.5~1.2A
Reader Size	270*180*27mm
Net weight	1.3kg
Package size	310*230*140mm
Package gross weight	2.5kg
Operating Temp	-10~+60 C
Storage Temp	-20~+75 °C

Product show



Product show

Spare parts:Spare parts:1pc
reader,1pc RS232 cable,
1pc USB cable,
1pc power adapter, 1pc plug

Reader dimension:
Reader Size:270x180x27mm



Goldbridge RFID reader is a compact, rugged, and reliable IOT RFID reader. It is designed for industrial and outdoor use. The reader is compatible with UHF RFID tags and can be used for a variety of applications, including inventory management, asset tracking, and access control. The reader is powered by a 5V USB power source and has a range of up to 10 meters. It is also compatible with RS232 and USB communication protocols. The reader is CE, FCC, and ROHS compliant.

Raleded Long distance range RFID Reader & Tags

		
ACM-812A -8dBi 2-6 meter , 235x235x57mm	ACM-803A -9dbi 6-10 meters,260X260X45mm	ACM-811A-8dBi Multi-tag Reader, 6-9 meters, 255x255x45MM
		
ACM217-UHF UHF Reader and Writer - Provide Free program and SDK	ACM919L 4 Ports UHF Reader Impinj R2000 ,270mm*180mm*27mm	ACM-819A-12dBi Multi-tag Reader, 10-20 meters, 460x460x55MM
		
ACM8017 UHF Handheld Reader UHF +WIFI+GRPS Quad Band+Barcode 1D/2D	ACM09G-TCP/IP Or Wiegand Active 2.4G Reader 30-70meter, Provide FREE SDK and Demo	ACM08Y RFID EM 125Khz 70cm-1meter Middle long range Reader
		
ACM-MU85M One Antenna Port Module- 30dbm adjustable 0-15m used for handheld reader. ,55.5x39.5x7.6mm	ACM-MU82M 4 Antennas Ports Module 4ports 25m speed anti-collision impinj R2000 67.5mmx51mmx7.9mm	ACM-MU13M One Port Module Korea certificate 0-15m Size: 8x25x3.5mm
		
UHF Anti-metal Tag, ACM-UHF-M3: 135x22x12mm ±2mm	Anti-tamper windshield sticker tag (ACM-S001)	UHF ISO PVC Card Tag , 86x54mm (ACM-UHF Card)

About Us

Similar Products



GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company



As a one of leading exporter and manufacturer of RFID products in China , . We have been in this field for 17 years already . We have rich production and exportation experience on RFID products . Our strength products are : RFID card , RFID keyfob , RFID wristband , RFID tag and various RFID reader . We are also the access control solution provider .

FACTORY PHOTOS



Our Certificate

