



Product Description



Packing & Delivery



Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.

Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,

Carton size : 26*26*10cm , Gross Weight :46kg. 50 cartons per pallet


ACM Goldbridge

- ACM Goldbridge is a leading manufacturer of high-quality magnetic locks. We have a long history of providing reliable and secure locking solutions for our customers. Our products are widely used in various industries, including hotels, hospitals, and government buildings. We are committed to providing excellent customer service and support. For more information, please contact us at info@acmgoldbridge.com.


ACM Goldbridge

STANDARD INSTALLATION STEPS


Professional guidance, Rest assured



1 Fold the plate to 90° .




2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.




5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.




9 Use Allen key to remove the mounting plate from lock body.




10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.




13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
6.8mm for M8-1.25thread
Inside: Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

[illegible]

በጣም በፈጣን ማሻሻያ DHL, FEDEX, TNT, UPS, EMS በጣም በፈጣን ማሻሻያ
 .በጣም በፈጣን ማሻሻያ በጣም በፈጣን ማሻሻያ



□□□□□□ □□□ □□□ 6 □□□□□□ □□□ □□□□□□ □□□□□□ :□□□□□□□□□□ □□□□□□ □□□□□□

□□□□ □□□ □□ □□□□ 50 .□□□ 24 :□□□□□□□ □□□□ □□□ 20*30*35 :□□□□□□□ □□□



You may need



□□ □□ □□-Y280N

/ □□□ 280) □□□□□ □□□□□ □□□□□□□□ □□□
 □□□ □□□□□ □□□ :□□ □□□□□ (□□□ 600
 □□□□ | □□□□ □□□ □□□□□ □□□ □□□□□□□
 □□□□□□□□

□□ □□ □□-Y180

180) □□□□□ □□□ □□□□□□□ □□□□□□□□ □□□
 □□ □□□□□ □□ □□□ (□□□ 300 / □□□□
 □□□□□□□□.

ꠔꠔ ꠔꠔ ꠔꠔꠔ-Y280

ꠔꠔꠔ 280 ꠔꠔꠔꠔ ꠔꠔꠔꠔ ꠔꠔꠔꠔꠔꠔꠔ ꠔꠔꠔ
ꠔꠔꠔ ꠔꠔꠔꠔ ꠔꠔꠔ :ꠔꠔ ꠔꠔꠔꠔꠔ (ꠔꠔꠔ 600)
ꠔꠔꠔꠔꠔ ꠔꠔꠔꠔ ꠔꠔꠔ ꠔꠔꠔꠔꠔꠔ ꠔꠔꠔ ꠔꠔꠔꠔꠔꠔ.



ꠔꠔ ꠔꠔ ꠔꠔꠔ-Y280-L

ꠔꠔꠔ ꠔꠔꠔ ꠔꠔꠔ ꠔꠔꠔꠔꠔ L ꠔꠔꠔꠔꠔꠔꠔ ꠔꠔꠔꠔ
ꠔꠔꠔ 350 / ꠔꠔꠔ 280

ꠔꠔ ꠔꠔ ꠔꠔꠔ-Y180ZL

ꠔꠔꠔꠔꠔ ZL 180 ꠔꠔꠔꠔ ꠔꠔꠔꠔꠔꠔꠔ ꠔꠔꠔꠔ
ꠔꠔꠔ 300/ꠔꠔꠔ

ꠔꠔ ꠔꠔ ꠔꠔꠔ-Y280-ZL

ꠔꠔꠔ ZL ꠔꠔꠔ 350/ꠔꠔꠔ 280 ꠔꠔꠔꠔꠔꠔꠔ ꠔꠔꠔꠔ

خدمتنا

سيتم الرد على جميع الاستفسارات خلال 24 ساعة،
2، الشركة المصنعة والموردة المهنية، مرحبا بكم في زيارة موقعنا على الانترنت والمصنع
3، تصنيع المعدات الأصلية / أوديام المتاحة
4، عالية الجودة، تصميم فاشين، سعر معقول وتنافسي، وقت التسليم السريع
5، خدمة ما بعد البيع:
1)، سيتم فحص جميع المنتجات بدقة في المنزل قبل التعبئة
2)، وجميع المنتجات سوف تكون معبأة بشكل جيد قبل الشحن
3)، جميع منتجاتنا لديها ضمان لمدة 2-3 سنوات إذا لم يكن الضرر ناتجًا عن الإنسان
6، وأسرع التسليم : حوالي 1 ~ 5 أيام لعينة الطلب، 7 ~ 30 يوما للطلب بالجملة
ويسترن يونيون، بايبال، T / T، الدفع: يمكنك دفع ثمن الطلب عبر
وكيل الشحن عن طريق البحر والجو، يمكنك أيضًا اختيار وكيل الشحن الخاص، DHL، FEDEX، TNT، UPS، EMS، الشحن: لدينا تعاون قوي مع
بك.

التعليمات

1. :📌

📌: نحن نوصي بشدة بـ 1. اختيار شركة شحن موثوقة. 2. تأكد من أن المنتج مغلف بشكل صحيح. 3. تأكد من أن المنتج مغلف بشكل صحيح. 4. تأكد من أن المنتج مغلف بشكل صحيح.

2. :📌

📌: نحن نوصي بشدة بـ 1. اختيار شركة شحن موثوقة. 2. تأكد من أن المنتج مغلف بشكل صحيح. 3. تأكد من أن المنتج مغلف بشكل صحيح. 4. تأكد من أن المنتج مغلف بشكل صحيح.

3. :📌

📌: نحن نوصي بشدة بـ 1. اختيار شركة شحن موثوقة. 2. تأكد من أن المنتج مغلف بشكل صحيح. 3. تأكد من أن المنتج مغلف بشكل صحيح. 4. تأكد من أن المنتج مغلف بشكل صحيح.

4. :📌

📌: نحن نوصي بشدة بـ 1. اختيار شركة شحن موثوقة. 2. تأكد من أن المنتج مغلف بشكل صحيح. 3. تأكد من أن المنتج مغلف بشكل صحيح. 4. تأكد من أن المنتج مغلف بشكل صحيح.

5. :📌

📌: نحن نوصي بشدة بـ 1. اختيار شركة شحن موثوقة. 2. تأكد من أن المنتج مغلف بشكل صحيح. 3. تأكد من أن المنتج مغلف بشكل صحيح. 4. تأكد من أن المنتج مغلف بشكل صحيح.

6. :📌

📌: نحن نوصي بشدة بـ 1. اختيار شركة شحن موثوقة. 2. تأكد من أن المنتج مغلف بشكل صحيح. 3. تأكد من أن المنتج مغلف بشكل صحيح. 4. تأكد من أن المنتج مغلف بشكل صحيح.