

R
S
2
3
2
/
4
8
3
4
4
1
C
P
4
7
P
P
P
P
P
P
U
S
B

Wiegand

[illegible]



Product Details



Metal Structure, More Secure

Environment friendly Zinc Alloy,
makes the product strong and durable.
Suitable for different install environments
and weather conditions.

Function Description



2-kinds of working state 5 ways to unlock

Normal mode

Card Operation
4 Password Operation

Security Mode

4 Password +4 Password Operation
4 Password+Card
Card+Card Operation

□□□□□□□□ □□□□□□□□

□□□□□ □□□□□

□□ □□□ □□□□□ □□□□□ DHL □ FEDEX □ TNT □ UPS □ EMS □ Forwarder by SEA □ AIR
□□ □□□□□ □□□□□ □□□□ □□□□□ □□□□□ □□□□□.



ACM223

RFID
AccessControl (125 K (RFID) AccessControl
AccessControl EM
1000/4000

ACM209-NW

RFID AccessControl (125 K (RFID) AccessControl
AccessControl EM

ACM208

RFID AccessControl (125 K (RFID) AccessControl
AccessControl





ACM210

RFID
RFID

ACM225

RFID
125
EM
wiegand

ACM211B

RFID
wiegand

RFID

1. 24
2. 4 fashin
3. OEM / ODM
4. 3-2
5. 30 ~ 7
6. 5 ~ 1
7. T / T
8. DHL FEDEX TNT UPS EMS Forwarder by SEA AIR

RFID

000000 0000 0 000 00000 00 000000 00 .0000000 000 000000 00 0000000 00000000000 0000 00000 :
 .00000 0000 00000 00 000000000 00000000 00000 0000 0 0000000

000000000 000000 00 00000**.2 :**

0 00000000 00000 :**T / T** 0 .0000000 0000000 0 0000 0000
 00000000 00 00000 00 0000000 00000 00 0000000000 000000000 00000 (DHL 0 FedEx 0 TNT UPS 0 (0000

0000 00000000 00000000 00 00000000 00000 0000 00000000 00000000 0000 **.3 :**

.00000000 00000 0000000 00000000 0 00 00000000 00000 0000000 00000000 :

0000000000 0000 00000000 00000 00000000 0000000 00 00 **.4 :**

00000 100000 0000000 0000000 15-7 00000 5000 0000000 00000 7-3 00000000 00 .00000000 0000 0000000 0000 :

00000000000 0000000 00000 **.5 :**

0000000.00000000000 00000000000 00000000 00000000 0000 00 0000 0 000000000 0000000000 00000 0000000 0000 : OEM 00000
 .000000 0000000

0000000 00 00000000 00000 0000 **.6 :**

0000000000 0000000000 000000000 00000 00 0000000 0000 RFID / 00000000 NFC / RFID keybod / RFID wristband 0
 00000 rfid 0000000 20 00 000000 0000 0000000 00 00000000 00 000000000 000000000.