




TCP / IP 000000 000 000000 0000 0000 000
000000 0000 000000 000 000000

[illegible]

[illegible]

[illegible]




TCP / IP


[illegible]

□ □ □ □ □ □ □ □

[illegible]



Double Door Access Controller Wiring Diagram (TCP/IP Communication)



Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government





Factory



Aviation




School



Kindly remind:

All network control board must configure with access power supply.
1 board for 1 power supply



ACM-WEG04

Four doors 1 way: Control 4doors (Enter by Swipe cards and Exit by Push button)

□□□□ □ □□□□ & □□□□□□

.பெரியவர்கள் மூலம் மிகுந்த அபாயத்திற்கு உள்ளாகி வருவது கவலை அளிக்கிறது.
 .பெரியவர்கள் மூலம் மிகுந்த அபாயத்திற்கு உள்ளாகி வருவது கவலை அளிக்கிறது.
 மூலம் மிகுந்த அபாயத்திற்கு உள்ளாகி வருவது கவலை அளிக்கிறது.



□□□□ □□□□□□ □□□□ □□) □□□□ □□□□)

00000000 0000000000 00000000 00 000000 0000 RFID 00
 00000000 0000000000 00000000 00000 00 .000 2000 000 000000
 00 00000 00000 0 0000 0000 00000 00000000 000000 00000 0000
 0000000 00000000 .0000000 0000000 000000 00000 / 0000 00 00 00000
 0000 00000 00000000 00 0000000000 00 00000000 CO FTA
 Form F Form E ... Ect. 0000000 0000000000 00000000 00000 0000
 00 000000. EXW FOB FCT CIF CFR ... trade term is
 ok for us. 0 0000000000 0000000000 000000 00000 00 00000000
 000000.

You May Like



ACM-K2A / B

□□□ □□□□ □□ Realese □□ □□□□□□ □□
□□□□□□

ACM-Y180

180) □□□□□ □□□ □□□□ □□□□□□□□ □□□
□□□)

ACM-Y806-5A

5 □□□□□□ □□□□□□□□A □□□□□□ □□□□□□□□



ACM225

RFID 12 khz

ACM-210

RFID

ACM26X

125 em rfid:
115mm × 75.5mm × 16.8mm

□□□□□□ □□□□□□ □□□□□□ □□□□ □□ □□□□□ □□□ RFID / □□□□□□ NFC / RFID keybod / RFID □□□□□ rfid □□□□ 20 □□ □□□□ □□□□□ □□ □□□□□□ □□ □□□□□□ □□□□□□□□ □□□□□□□□.