نموذج رقم: iglass300

مفيدة:
وضع فتح متعددة: بصمة وضع كلمة المرور والبطاقة والتركيبة.
لوحة مفاتيح لمسة كاملة عالية الحساسة مع الإضاءة الخلفية، وسهلة الاستخدام حتى في الظلام.
عملية سهلة للإنسانية وإرشادات الصوت واضحة.
دعم تثبيت DIY فقط مع مفك البراغي، لا حاجة أي ثقب.
وظيفة التحكم عن بعد اختياري.
يوفر Boorbell المدمج كل راحة للزائر.
4 مدعوم من بطارية PCS AAومعذلة بطارية منخفضة.
دعم إدخال بطارية الطوارئ الخارجية.
دعم USB لتحميل سجل الحضور.

□□□□□□□ □□□	iglass300.
□□□□□□□ □□□□	□□□□
□□□□	□□□□□ □□□□□ :□□□□□ □□□
	□□□□□ □□□□□□□ □□□□□□□ :□□□□□□□
LCD	2.4 □□□□□ □□□□ □□□□ TFT
□□□□□□ □□□ □□□□□□□ □□□□□	<0.2s
□□□□□□□□ □□□□	<0.5s
□□□□□	<0.001%
□□□□	0.10□
□□□□□□ □□□□	DC4.0 ~ 6.0V (1.5 * 4 □□□□□□V AA)
□□□□□□ □□□□□	≤30ua.
□□□□□□□□ □□□	1000 □□□□) □□□□ / RFID / Pincode)
□□□□□□□□ □□□	□□□□□ □□□□□□□ □□□□ □□ □□□□□□ □□□□□ id em
□□□□□□□□ □□□□□	□□□□□ □□□□□□ □□□□□□ □□□ □□ □□□□□□ EM□ □□□ □□ □□□□ □□□□
□□□	500 □□ □□□□
□□□□□ □□□	8 ~ 15mm
□□□□□□□ □□□□□ □□□□	-20 ℃ ~ 55 ℃
□□□□□□□ □□□□□	93□
□□□□□□□ □□□	□□□□□□□ □□□□□□□□ □□□□□□ □□□□□ USB□ 6 ~ 9 □□□□
□□□□ □□□□□	□□□□□ □□□ □□□□□ □□□ □□□□□□□□□ □□□□□ □□□□□□

Touch-screen Glass door lock
iGlass300
欢迎使用
20:02
2017-01-01 星期日
C/M

欢迎使用
20:02
2017-01-01 星期日
C/M
Fingerprint unlock
Password unlock
Swipe unlock
Remote unlock
Attendance function
Opening record
Close the door automatically locked
Alarm prompt

Fingerprint Verify speed	Fingerprint capacity	False Acceptance Rate	False Rejection Rate
<0.5S	1000	<0.001%	<0.1%


Cast steel double lock
The bolt is made of cast steel and treated by electroplating technology.
3 def
6 mno
9 wxyz
OK

Anti-theft design
20:02

Be applicable
framed,
frameless,
single open,
double open glass doors,
wooden doors,
iron doors,
etc.
20:02

Indoor with rotary switch button
Battery plate
Display
Power display
Touch-screen keypad
Doorbell
Finger sensor


Single door
Single door
Double door
Glass door
Glass wall
Left open
Left open
Glass door
Glass door
Left open
Glass wall
Glass door
Right open
Right open
Glass door
Glass door
Right open