



Packing List >>





Product Parameters >>




01

THE VIRTUAL PASSWORD CAN BE USED FOR ANTI-THEFT AND ANTI-PRYING

The unlock password can be entered with any number, as long as the correct password is included. Effectively prevent others watching to steal password.



Before or after enter the correct password, the entered random number can effectively prevent the password from being stolen or cracked.



TWO UNLOCK OPTIONS

CODE UNLOCK
CODE/CARD UNLOCK



Black ABS/Metal Made



Silver Metal Made

INTELLIGENT KEYPAD CABINET LOCK

Suitable for: drawer, Locker, shoe cabinet, storage cabinet, filing cabinet, safe, etc.

steel cabinet, wooden cabinet can be installed.



Password Unlock



Sound Prompt



Low Battery Alarm

DUAL MODE UNLOCKING FOR DIFFERENT OCCASIONS

Private Mode and Public Mode

They can be used in different occasions, convenient and more practical



Public Mode: public place
Non-fixed personnel use, self-set
password, one-time effective



Private Mode: private place
Fixed personnel use. Password is
valid for a long time(default mode).



Installation Effect >>

PHYSICAL INSTALLATION

Suitable for: drawer, Locker, shoe cabinet, storage cabinet, filing cabinet, safe, etc.





Show Details >>

Preferred Material

Two styles, metal panel/plastic panel, The key is processed and molded by ABS twice. The fonts are fast and wear resistant.



LED Indicator

When the code is correct, the led show blue light, pull outward to open the door.

When the code is incorrect, the red led flash.

If input incorrect code for three times, system will lock for one minute.

Low Battery Prompt

When the battery is low, the red light will flash, please replace the battery in time, it can still work about 100 times after alarm prompt.



Type-C interface
(Emergency Power Supply)




Emergency Power Supply

The bottom can charge by an emergency power supply, when the battery is no power, user can unlock it in emergency by an external battery box.

— Installation Guide —

1. Installing the lock panel


Put the PCB line through the door hole, straighten the panel and fix it by a panel fixed plate and 2 pieces of 3*12 machine screws. (Note: please put the PCB line through the slot of the fixed plate) (Shown as picture 2)



Picture 2

2. Installing the lock body


Firstly, connect the PCB line on panel with that on lock body; Secondly, straighten the lock body to let the latch bolt in the opening side of the door. Thirdly, take the battery cover down and fix the lock body by 2 pieces of 4*20 and 1 piece of 4*35 countersunk head self tapping screws (Note that the screws should be countersunk totally). Then, put in 4 pieces of AA 1.5V alkaline batteries. Lastly, fix the battery cover by a 3*6 countersunk machine screw. (Shown as Picture 3)




Picture 3

3. Installing the lock catch

Fixing the lock catch in the locker of a suitable height by 3 pieces of 4*16 countersunk self tapping screw. (Note: make sure the lock bolt can be dunked into the catch) (Shown as picture 3-1 and 3-2)



Picture 3-1



Picture 3-2

□□□□□□

10 0000 24 0000 00 0000000000 00 000 0000 0000

[illegible]

0000000 0000000 0000000 000000/00000000 00000000 000000 3

□□□□ □□□□ □□□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □4

: 0000 000 00 0000 05

□□□□□□ □□ □□□□□□ □□ □□□□ □□□□□□ □□□□ □□□□ □□ □□□□ □ (1)

$$\frac{1}{2} \left(\frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2} \quad (2)$$

□□□□□□ □□ □□□□ □□□□ □□□ □□ □□□ □□□□□ 3-2 □□□□ □□□□ □□□□□□□□ □□□□ □(3

□□□□□□ □□□□ □□□□ 30 ~ 7 □□□□□□ □□□□ □□□□ 5 ~ 1 □□□□□□ : □□□□□□□ □□□□ □6

□□□ □□□□ □□□□ □□□□ □□□□ :□□□□ □7: T/T□ Western Union□ Paypal□ Ali □□□□□□ □□□□

□□ □□ □□□□ □□□□ :□□□□ □8 DHL□ FEDEX□ TNT□ UPS□ EMS□ □□□□ □□□□ □□□□□ □□□□ □□□□ □□□□ □□□□

□□ □□□□ □□□□ □□□□ □□□□□.

□□□□□□□□

□□□□□ □□□□□ □□□□□ □□□ .1 :□

[illegible]

. □□□□ □□□ □□□□ □□ □□□□□□□□ □□□□□□ □□□□

□□□□□□ □□□□□ □□ □□□□ .2 :□

□ □□□□□□□ □□□□ :□ T/T □ Paypal □ .□□□□□□ □□□□□□

00000000 0000 00 000000 0000 00 00000000 00000000 0000 (DHL FedEx TNT UPS (0000 0000 0000

Figure 3:

00000000 00000000 00000000 00000000 0000 00000000 000000 00000000 00000000 00000000 :

QUESTION

A patient has been prescribed a medication that is contraindicated in patients with a history of liver disease. The patient's medical history indicates a diagnosis of chronic liver disease. Which action should the nurse take?

ANSWER

The nurse should withhold the medication and notify the healthcare provider.

RATIONALE

The nurse should withhold the medication because it is contraindicated in patients with a history of liver disease. The nurse should also notify the healthcare provider about the patient's condition and the potential risk of administering the medication.

TEST PLAN

Nursing Process: Assessment
Client Needs: Safe and Effective Care Environment
Cognitive Level: Application

REFERENCE

Textbook: Fundamentals of Nursing, 8e, Ch. 10, p. 10-10

KEYWORDS

contraindication, liver disease, medication administration

ADDITIONAL INFORMATION

This question is part of a series of questions designed to assess your knowledge of nursing process and client needs. It is important to understand the importance of assessing a patient's medical history before administering any medication.

SCENARIO

A patient has been prescribed a medication that is contraindicated in patients with a history of liver disease. The patient's medical history indicates a diagnosis of chronic liver disease. Which action should the nurse take?

ANSWER

The nurse should withhold the medication and notify the healthcare provider.

RATIONALE

The nurse should withhold the medication because it is contraindicated in patients with a history of liver disease. The nurse should also notify the healthcare provider about the patient's condition and the potential risk of administering the medication.

TEST PLAN

Nursing Process: Assessment
Client Needs: Safe and Effective Care Environment
Cognitive Level: Application

REFERENCE

Textbook: Fundamentals of Nursing, 8e, Ch. 10, p. 10-10

KEYWORDS

contraindication, liver disease, medication administration

ADDITIONAL INFORMATION

This question is part of a series of questions designed to assess your knowledge of nursing process and client needs. It is important to understand the importance of assessing a patient's medical history before administering any medication.

□□□□ 100,000 □□ □□□□ 15-7□ □□□□ 5000 □□ □□□□ 7-3 □□□□ .□□□□□□ □□□ □□□ □□□□□□ :□

□□□□□□□□ □□□□□ □□□□ □□ .5:□

000000 000000 . 00000000 000000 000000 000000 000 00 0000 00000000 00000000 00000 000000 0000 :]

. □□□□ □□□□ □□□□ □□ □□□□□□ □□□□□□

□□□□ □□ □□□□□□ □□□□ □□ □□ .6 :□

RFID / NFC / RFID keybod / RFID

rfid 20 个 数据 包 在 20 个 数据 包 中 有 20 个 数据 包 是 有 效 的。

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba,
Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader,
UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery




Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- LONG HISTORY** 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



Access Control CE Access Control RoHS EM Lock EMC Certificate EM Lock RoHS Certificate



RFID Card Reader CE RFID Card Reader RoHS UHF Reader CE Certificate UHF Reader RoHS



PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.



[View More](#)

ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control



[View More](#)

RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,



[View More](#)

ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG



[View More](#)

FAQ

Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.



[Contact Us](#)



[BACK TO HOMEPAGE >](#)

