

مع زر الخروج تبديل الإشارة ثنائي الاتجاه قارئ التحكم في الوصول Goldbridge Wiegand RS485 WG محول

لوحة تحكم متعددة الأبواب (4)).	لوحة تحكم متعددة الأبواب (2)).	لوحة تحكم بباب واحد	معامل
WG04-إيه سي ام	WG02-إيه سي ام	WG01-إيه سي ام	نموذج إيه سي ام
RS485 تكب / إب و	RS485 تكب / إب و	RS485 تكب / إب و	تواصل
التحكم في 4 أبواب، الدخول من الباب عن طريق تمرير البطاقة، والخروج من الباب عن طريق الزر	التحكم في بايين، الدخول والخروج من الباب عن طريق تمرير البطاقة، أو الدخول عن طريق تمرير البطاقة والخروج من الباب عن طريق الزر	التحكم في باب واحد، الدخول والخروج من الباب عن طريق تمرير البطاقة، أو الدخول عن طريق تمرير البطاقة والخروج من الباب عن طريق الزر	وصف
ملم * 106 ملم 218	ملم * 106 ملم 160	ملم * 106 ملم 160	حجم لوحة ثنائي الفينيل متعدد الكلور
مم * 228 مم * 65 مم 273			
12VDC 4-7A			
أقل من 100 مللي أمبير			
(واحد الخ HID, EM, Mifare ,			
جهاز كمبيوتر شخصي 4	جهاز كمبيوتر شخصي 4	قطعة 2	كمية القراءة
أبواب 4	أبواب 2	باب 1	التحكم بالباب
(ثانية (قابل للتعديل 1-600			
لا حدود			
درجه مئوية ~70 درجه مئوية-40			
ر.س , لا التكثيف %			
مستخدم 20,000			
مخزن مؤقت للحدث 100.000			
ذاكرة عالية السرعة، السجلات لا تفقد أبدًا			
(م (مسافة الاقتراح 80 م 100			
يعتمد على منطقة التغطية الصافية: TCP/IP			
لوحة دارات مطبوعة، برنامج، دليل، شهادة. كرتون			
نعم			
إذا لم يكن هناك اتصال بلوحة التوسيع، فلا يوجد سوى إنذار لواجهة البرنامج، وقيادة مكبر صوت الكمبيوتر. إذا كان متصلاً بلوحة التوسيع، يكون قادرًا على الإنذار عن طريق الأجهزة، وإذا كان متصلاً بلوحة التوسيع المعززة، فيمكنه إصدار ACB-EA05 إنذار الأمان، النموذج هو			
ربط الحريق والإنذار			

فتح وإغلاق الباب في Complisive وقت طويل	نعم		
فتح الباب على مسافة بعيدة	نعم		
التعشيق	لا	نعم	نعم
مكافحة تمرير الظهر والذيل	نعم	نعم	نعم
باب مفتوح متعدد البطاقات	نعم		
مفتوح لفترة طويلة في وقت محدد	نعم		
الخريطة الإلكترونية	نعم		
قفل عاجل	نعم		
فتح البطاقة الأولى	نعم		
فتح على أساس التحقق الداخلي والخارجي	نعم		
لوحة المفاتيح (البطاقة كلمة المرور، كلمة المرور الإضافية)	نعم		

OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

APPLICATION

Bus, supermarket, school, government, hospital, factory



ADVANTAGE

WHY CHOOSE US?

- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



CERTIFICATE





RE:Access Control Power Supply

NEW  ACM-Y802-3A Power Supply and door release exit button Dual Function AC110V-240VDC, 12V 3A	NEW  M801B-3A /5A Access Control Door Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC	NEW  M806B-3A /5A Access Control Door Backup battery Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC		
ACM-Y803A Voltage: DC 12V /3A 	ACM-Y806-3A Voltage: DC 12V /3A AC110V-240VDC 	ACM-Y806-5A Voltage: DC 12V /5A AC110V-240VDC 	ACM-Y801-3A Voltage: DC 12V /3A AC110V-240VDC 	NEW  ACM-5A 12V 5A door control system 12V 5amp access power supply with battery backup (Special For access control board use) Size: 279x234x67MM Input Voltage:110-240V Voltage: DC 12V /3A

RE:Door Loop / Door Closer

ACM401 Door Loop 	ACM601F 200mm Metal ACM601S 200mm stainless steel 	ACM-101 130mm Longer ACM-102 180mm Longer 	ACM-301 400mm Longer 	ACM-201 400mm Longer 	Door Closer ACM-M59 25-45KG ACM-M60 45-65KG ACM-M61 65-85KG 
---	---	---	---	--	---

RE:Sensor and Siren For Access Control System

 Item: AS603 Piezo Strobe Siren Operating voltage: 12VDC	 Item: AS31 Operating distance: 16mm ±5mm Switch output: NC	 Item: AS32 Operating distance: 18mm ±5mm Switch output: NC	 Item: AS36 Operating distance: 40mm ±10mm Switch output: NC	 Item: AS57AC Operating distance: 18mm ±5mm Switch output: NC Applies to steel door	 Item: ACM-MD601 Standard Wall Mount Door Holder Holding force: 60kg(120Lbs)	 Item: ACM-MD602 Glass door Mount Door Holder with door signal Holding force: 60kg(120Lbs)
---	--	--	---	---	---	---

RE:Remote Control For Access Control System

 Item: ACM-K19 Metal WIRELESS Remote Control	 Item: ACM-K18 WIRELESS Remote Control	 Item: ACM-K20 WIRELESS Remote Control For Automatical Door,NO/NC/COM 115*40mm	 Item: ACM-K19A Metal Access Control WIRELESS Remote Control 2 channel	 Item: ACM-K19B Metal Access Control WIRELESS Remote Control 4 channel
---	---	---	--	---

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

PRODUCT CATEGORY

RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.

[View More](#)



ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

[View More](#)



RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,

[View More](#)



ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG

[View More](#)



FAQ

Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.



[Contact Us](#)



[BACK TO HOMEPAGE >](#)

Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School

XXXXXXXXXX XXXXXXXXXXXX

.XXXXXXXX XXXX XXX XXXXXXXXXX XXXX XXXXXXX XXX XX XX XXXXXXX XXXXXXXXXX XXX XXXXXXXXXX
 .XXXXXXXX XXXXXXX XXXXXXX XXXXXXXXXX XXXXXXXXXX XXXXXXXXXX
 XXXXX XXX XXXXX XXX XXXXXXXXXX XXX XXXXX XXXXXXXXXX.



DHL
WORLDWIDE EXPRESS®

aramex
delivery unlimited



EXW

FCA FOB

CIF CFR




000000 00000000 000 00000000 0000) 000000 0000000

00000000 0000000000 000000000 000 0000 RFID 0000 000000 00
 0000 0000 000000000 000000000 00000000 000000 00 .0000 2000
 0000 0000/0000 00 0000 00 00 000000 00000000 00000000 000000
 000000 00000000 00 00000000 00000000 000000 00000000 .000000 00000
 0000 00 000000 CO 0FTA 0000000000 F 0000000000 E...0000 .0000
 00000 00000 0000000 .00 0000000 000000 0000000000 00000
 .0000 0000000000 00000 00 0000 000000000 0000000 ...0000 00000
 00000000 0000000000 00 0000000000 0000000 00000 00 000000000.


00000000 00000000 00 00000000 000000000 000000000 000000000 0000 000000000 00 000000 20 00000000 00000000
 !!00000 0000 00000 0000000000 00000000 00000 000000 !0000000 00 00000000 00000 0000000 00 00000 0000000 00
 00000000000 00 00000000 0000000 00000 00 0000 0000000 00 000000 00000000 00000000 0000000 000000 000000 000000.

0000 0000 000000000




00 00 000-WEG01

00000 00000 00000000 00000000.



00 00 000-WEG02

00000000 00000000 00000000.



□□ □□ □□-WEG04
□□□□ 4 □□ □□□□□□ □□□□□□.

You May Like





00 00 000-K2A/0

0000 00000 00000 0000 00 0000 00
000000 LED

00 00 000-Y180

180) 00000 000 0000 000000000 000
000)

00 00 000-Y806-5A

5 000000 0000A 000000 00 000000





210-

ACM26X

□□□□ □□□□ □□□ RFID □□□□ 125 □□□□□
□□ 16.8 × □□ 75.5 × □□ 115:□□□□

1□ □□□ 24 □□□□ □□ □□□□□□□□ □□ □□□ □□□□ □□□□

2) 00000000 00000000 000 000000 000000 00 000 000000 000000000 000000000 00000000 00000000

በጥናቱ ላይ የተጠቀሱት ሰነዶች/የጥናቱ ሰነድ 3

□□□□□ □□□□ □□□□□□□□ □□□□□ □□ □□□□□□ □□□□□ □□□□□□ □□□□ □4

: 00000 0000 00 0000 05

[illegible][illegible]

□□□□□□ □□ □□□□ □□□□ □□□ □□ □□□□ □□□□ 3-2 □□□□ □□□□ □□□□ □□□□□□□□ □□□□ □(3

□□□□□□ □□□□□ □□□□ 30 ~ 7 □□□□□□ □□□□□ □□□□ 5 ~ 1 □□□□□ : □□□□□□□ □□□□ □6

□□□ □□□□ □□□□ □□□□ □□□□ :□□□□ □7: T/T□ Western Union□ Paypal□

8. 本公司 代理 國際 快遞 服務 : 德華 快遞 DHL、FEDEX、TNT、UPS、EMS 國際 快遞 服務 網絡 遍及 全球 主要 城市 及 地區 代理 快遞 服務 詳情 請 洽 本公司 業務 經理。

□□□□□□ □□□□□□ □□□□□□ □□□ .1 :

በሕገ መንግሥቱ መሰረት የሕግ አወጣጥጥ የሕግ አፈጻጸምና የሕግ ፍጻሜ ስልጣን የሕግ ብቻ ነው፡፡ የሕግ አወጣጥጥ የሕግ አፈጻጸምና የሕግ ፍጻሜ ስልጣን የሕግ ብቻ ነው፡፡ የሕግ አወጣጥጥ የሕግ አፈጻጸምና የሕግ ፍጻሜ ስልጣን የሕግ ብቻ ነው፡፡

□□□□□□ □□□□□ □□ □□□□ .2 :□

□ □□□□□□□ □□□□ :□ T/T □ Paypal □ .□□□□□□ □□□□□□

□□□□□□ □□ □□□□ □□ □□□□□□ □□□□□□ □□□□ (DHL □ FedEx □ TNT UPS (□□□ □□□ □□□

□□□ □□□□□ □□□□□ □ □□□□□ □□□ □□□ □□□□□ □□□□□ □□□ .3 :

.□□□□□□ □□□□ □□□□ □□□□□□ □□ □□□□□□ □□□□ □□□□ □□□□□□ :□

□□□□□□ □□ □□□□ □□□□ □□ □□□□ □□□□ □□ □□ .4:□

□□□□ 100,000 □□ □□□□ 15-7□ □□□□ 5000 □□ □□□□ 7-3 □□□□ .□□□□□□ □□□ □□□ □□□□□□ :

□□□□□□□□ □□□□□ □□□□ □□ .5:□

000000 000000 .00000000 000000 000000 000 00 000 00000000 00000000 0000 000000 0000 :0

. □□□□ □□□□ □□□□ □□ □□□□□□ □□□□□□

□□□□□ □□ □□□□□□ □□□□□ □□□ □□ .6 :

RFID / NFC / RFID / RFID
rfid 20