

EB-20G (LED/Buzzer)

● Red

● Green



EB-20G (Without LED)

○ Without LED



STANDBY MODE:
The light is green .



OPERATION MODE:

When pressing the reset button, the light will be red and the inside buzzer will ring.



DETAIL DISPLAY



DETAIL DISPLAY



DOOR CONTROL SYSTEM DOOR BUTTON

High sensitivity, 0 misinformation, strong stability, nanowire impact.



Internal components



BACK



POSITIVE



Characteristic



Built-in buzzer



Tri-pole



Easy
Wiring/Installation



LED/BUZZER
/Volume Adjustment



Lock hole for
Professional Use

مواصفات هذا التبديل

- لا تلمس / لمس مستشعر خروج مجاني (كشف منتشر)
- تكنولوجيا البصرية / الأشعة تحت الحمراء
- لوحة الفولاذ المقاوم للصدأ SUS 304 / IP-55 Ingress Protection
- سهولة الاستخدام (حماية صحية)
- خالية من الأمراض المعدية
- مجموعة الكشف: 0.1 ~ 10 سم
- التطبيق: البوابة / الباب / التحكم في الخروج / التشغيل الآلي
- 0.0A / AC120V, DC30V سعة عالية من الاتصال الجاف التابع (3)
- عادة فتح / عادة إغلاق التابع أو عادة
- توأم لاستشعار الاستشعار أو التعامل معها: LED مؤشرات
- (1) الاستعداد الاستشعار: الصمام الأزرق
- على LED (2) الزوار الذين اتصلوا بالمستشعر في 10 سم: أحمر



□□ □□□□□□ □□□□□□ □□□ □□□□ □□
□□□□□□

K2B: 86 * 86mm

□□□□□□□ □□□□□□ □□□□□ □□□□ □□
□□□□□□

K9A: 115 * 40mm

□□□□□□□ □□□□□□□) □□□□□□ □□□□□ □□
□□ □□□□□□ / NC) K5B: 86 * 86mm



