













|



- □ □ □ □ □ □ □ 1
- □ □ □ □ □ □ □ 2
- □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 3
- □ □ □ □ □ □ □ 4
- □ □ □ □ □ □ □ □ 5
- □ □ □ □ □ □ □ □ □ □ □ □ 6
- □ □ □ □ □ □ □ □ □ □ □ □ □ 7
- □ □ □ □ □ □ □ □ □ □ □ □ □ 8





□□□□□ □ □□□□□ □ □□□□□□□

□□□□□□□ □□□□□□□  
 □□□□ □□□□ UHF: 38 □□□□□ □□□□□ □□□ □□□□  
 □□□ 0.7 :□□□□□□□□□ □□□□□□.





RFID 2000

RFID 2000  
 RFID 2000  
 CO FTA Form F Form E ...  
 exw fob fct  
 cif cfr ...

uhf ACM812A ACM802A ACM818A ACM801A

uhf ACM812A ACM802A ACM818A ACM801A  
 ACM801A (200)





ACM812A

2-5m 〇〇〇〇〇〇 〇〇〇〇〇〇 UHF 〇〇〇〇〇〇  
 26 〇〇〇〇 〇〇〇〇 〇 RS232 / 485

ACM818A

〇〇〇〇 UHF 〇〇〇 20-10 〇〇〇〇 〇〇〇〇  
 26 〇〇〇〇 〇〇〇〇 〇 RS232 / 485

ACM801A

〇〇〇〇 UHF 10-15m  
 26 〇〇〇〇 〇〇〇〇 〇 RS232 / 485





