



000 00 000 **60** 0000000000 000 **L** 0000

X

- 4.Wear .

Mini Single Door Magnetic Lock

Stable Holding Force


magnetic locks have 60kg(100 lbs) linear pulling force.



Aluminum Shell

Shell with high strength alloy material, anode hardening treatment.





Double Insulation

Lock body with double insulation treatment.



special Used to Small Cabinet Door

Saves time and power when installation.









You may need



ACM-Y280N

ACM-Y180

ACM-Y280







ACM-Y280-L

L- 000 000 350 / 000 280 0 000 0000000

ACM-Y180ZL

000 ZL 300 / 000 180 0000000 0000

ACM-Y280-ZL

000 ZL 350 / 000 280 0000000 0000

خدمتنا

```
سيتم الرد على جميع الاستفسارات في غضون 24 ساعة ، 1 الصانع والمورد المهنية ، مرحبا بكم في زيارة موقعنا على شبكة الإنترنت والمصنع متاح OEM / ODM متاح 4 fashin ، ووقت التسليم السريع ، 4 fashin ، وبأسعار معقولة وتنافسية ، ووقت التسليم السريع ، 4 fashin ، علية الجودة ، وتصميم 5 ، خدمة ما بعد البيع:
(1) ، سيتم فحص جميع المنتجات بدقة في المنزل قبل التعبئة 2) ، جميع المنتجات سوف تكون معبأة بشكل جيد قبل الشحن (2) ، جميع المنتجات سوف تكون معبأة بشكل جيد قبل الشحن (3) ، تتمتع جميع منتجاتنا بضمان 2-3 سنوات إذا لم يكن الضرر ناتجًا عن الإنسان 6 ، تسليم أسرع : حوالي 1 ~ 5 أيام لعينة النظام ، 7 ~ 30 يوما للطلب بالجملة ويسترن يونيون ، باي بال. ، 7 : T / T ، الدفع : يمكنك الدفع مقابل الطلب عبر (3 يمكنك أيضًا اختيار وكيل الشحن ، By AIR و EMS و EMS و EMS و EMS ، الشحن: لدينا تعاون قوي مع ...
```

التعليمات

0: **1**. 000 00000 00000 000 **.1**

000000 00000 00 0000 **.2** :0

000 000 0 000000 000000. O T / T 0: 000000 0 000000

$oxed{0}$

.c. 0.0 0.00

n: 5. n nnnn nnnn nnnn nn .5

0: **6.** DO DOO DOO DOO DO DO **.6**