قياس درجة حرارة الجبين بدون اتصال بالأشعة تحت الحمراء مع إنذار K3 PRO ميزان حرارة مثبت على الحائط

وصف المنتج

مطور على الحائط K3 Pro ترمومتر

الوصف: يمكن لميزان الحرارة بالأشعة تحت الحمراء المثبت على الحائط قياس درجة الحرارة على مسافة 2-4 بوصات من الجبهة ، وهو أكثر صحة وأمانًا. عندما تكون درجة الحرارة أعلى من قيمة درجة الحرارة العادية ، سيعرض مقياس الحرارة الرقمي غير المتصل الضوء الأحمر و يصدر صوتًا يتيح لك معرفة ما إذا كنت مصابًا بالحمى ، ويمكن أن تظهر درجة الحرارة هذه قراءات بالدرجة المئوية أو فهرنهايت. نطاق قياس الأشعة تحت الحمراء: 0 °C ~ 50 °C

خاصية:

مقياس الحرارة غير المتصل: يمكن لميزان الحرارة بالأشعة تحت الحمراء غير المتصل قياس درجة الحرارة ضمن مسافة 2-4 بوصة من الجبهة ، وهو أكثر صحة وأمانًا.

إنذار غير طبيعي لدرجة الحرارة: إذا تجاوزت درجة الحرارة قيمة درجة الحرارة العادية ، سيعرض مقياس الحرارة الرقمي غير المتصل ضوءًا أحمر ويصدر صوتًا يتيح لك معرفة ما إذا كان لديك حمى ، وإلا فإنه سيظهر فقط الضوء الأخضر ودرجة حرارته F و ºC

القراءة: قياس دقيق لدرجة الحرارة يمكن لميزان الحرارة هذا أن يظهر قراءات بالدرجة المئوية أو فهرنهايت. نطاق القياس بالأشعة تحت الحمراء: 0 °C ~ 50 °C

2 وضع القياس: ثقب مفتاح وضع الضغط لفترة طويلة لمدة 3 ثوانٍ للتبديل إلى وضع قياس درجة الحرارة ، ووضع السطح ، ووضع الكائن ، يناسب العائلات ، والمكاتب ، والفنادق ، والمكتبات ، والشركات والمؤسسات ، والمدارس

سهولة التركيب: من السهل جدًا تركيب مقياس الحرارة بالأشعة تحت الحمراء على الحائط باستخدام المسامير أو الخطافات أو الشريط اللاصق على الوجهين أو الأقواس

Whatsapp: +86-13554918707 ;E-mail: sales@goldbridgesz.com ; Website: www.goldbidgesz.com
Add: Block A, Zhantao Technology Building, Minzhi Avenue , Longhua District, Shenzhen, China

Intelligent photosensitive forehead thermometer, can be Nail hooked/bracket fixed, etc.



Technical Data

Method of measurement	Sensitivity sensor distance sensor	Operating mode	Surface mode /body mode / Count mode
Temperature Unit	°C/°F	Surface temperature measurement range	10--50°C
Accuracy	±0.2 (34~45°C)	Range of Body Mode temperature	35--42°C
Measuring distance	5 ~ 10 cm	Environment temperature	10--40°C
Display	2.8-inch LCD screen	Counting capacity	9999 times
Install Method	Nail hook/bracket fixing	Record temperature data	Support to review 30 sets of data
Power supply	USB /4 AA batteries	Alarm Function	Flash+sound alarm for about 10 seconds
Response time	0.5s	IO signal output	Support(switch signal / pulse signal)
Working band	5um	Body storage ☑	Connect to the computer ☑
Standby time	30s	Volume setting ☑	Voice broadcast ☑
Product Size	170*115*140mm	Backlight switch ☑	Automatic shut-down ☑
Net weight	303g	Upper alarm limit ☑	Whether to support charging ☒

K3 Pro

K3 Pro Infrared Thermometer

Quick and accurate

- HD LCD screen
- Alarm Function
- Data Record

New upgrade

Infrared Thermometer

High quality brings you real security

Fast
0.1S fast temperature measurement

Stable
Ergonomic design

Accurate
Display accuracy 0.1 °C

Multi-functional
Multi-functional design

Quick

0.1S QUICK TEST

Highly sensitive infrared thermometer, the temperature can be measured in 0.1s.

Solid

ERGONOMIC DESIGN

Follow the ergonomic design rules, can use with the tripod, suitable for various places

MEMORY FUNCTION

With 30 sets temperature record, it is easy to view the changes in body temperature,

30 SET

30 sets of temperature record

FREQUENCY/°C

*PICTURE SHOWS THE CONTINUOUS MEASUREMENT RESULTS

NEW CHIP

K3 pro adopts new chip, the sensing time is faster, greatly improving the measurement pass rate

PROFESSIONAL ALGORITHM

0.1°CDIVISION VALUE

CARE AT 0.1°C

New sensor and self-developed motherboard, the temperature measurement accuracy is comparable to the mercury thermometer

HIGH TEMPERATURE WARNING

Detection failure light prompt, abnormal temperature warning function

INSTALL METHOD

Intelligent photosensitive forehead thermometer, can be Nail hooked/bracket fixed, etc.

+86-13554918707
Lily Jiang

Order Online

http://www.goldbridgesz.com

lily-jiang1206

facebook Lily jiang

sales@goldbridgesz.com