



Product Parameter	Parameter Description		
Lock Size :	170x40x21mm		
Armature plate:	190Lx190Lx45Wx11H(mm)		
Holding Force :	180kg (300Lbs)		
Input Voltage :	12/24VDC Dual Voltage		
Suitable for door:	Wooden door , Glass door ,Metal door , Fireproof door		
Singal Output :	Lock singal Status NO/NC/COM/+/-		
Feature:	Fail Safe, Timer delay, feedback signal, 12V/24VDC dual voltage		
LED:	Red shows unlocked, Green shows locked		
Weight:	1.4kgs		
Certification:	CE /MA		

 $000 \ \mathbf{22} \times \mathbf{40} \times \mathbf{80} : 00000 \ 00000$

 $000 \ \mathbf{10} \times \mathbf{35} \times \mathbf{74} : 0000000 \ 0000 \ 0000$

(___ 100) ___ 60 :__ ___ _____ DC12V 10_ 12 :_____ ___ ___ V / 300mA


0000000 0000000 0000 0000 0000 20 0000 :00000 0000 0000

(0000000 0000 131-14) 0000 55 000 10-:0000000 0000000 0000

0.55 : **0.00**




180kg 350lbs



280kg 600lbs



320kg 800lbs



500kg 1000lbs





Product Description







Packing & Delivery





Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.


Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,

Carton size: 26*26*10cm, Gross Weight: 46kg. 50 cartons per pallet


With U Bracket Installation Guide






With L Bracket Installation Guide





With ZL Bracket Installation Guide







SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD


Whatsapp: +86-13554918707 ;E-mail: sales@goldbridgesz.com; Website: www.goldbidgesz.com Add: Block A, Zhantao Technology Building, Minzhi Avenue, Longhua District, Shenzhen, China







Whatsapp: +86-14554918707, E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com; www.goldbridgesz.com For More Proudcts Price List and informations, Please contact our sales at sales@goldbridgesz.com, thank you!



STANDARD INSTALLATION STEPS

Professional guidance, Rest assured





Fold the plate to 90°.



Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.



Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



Drill holes based on the marked positions.



Make a combination based on the picture.



Strike the pin into the armature plate slightly (to avoid movement).



Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



Place the rubber ring between armature plate and door leaf.



Use Allen key to remove the mounting plate from lock body.



Fix the mounting plate on the door frame according to the holes drilled earlier.



Use Allen key to screw the lock body on the mounting plate.



Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Drill a hole Inside: Diameter is 8mm Outside: Diameter is16mm



Drill a hole Inside: Diameter is 8mm Outside: Diameter is 12.7mm



Inside:Drill a hole diameter is 8mm folding the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm 600LBS: 50mm 800LBS: 48mm 1200LBS: 46mm









ACM-Y280N

ACM-Y180

ACM-Y280







ACM-Y350

000 350 000000 00000 00000000 000 000 0 0000 000 :00 00000 (000 800) 00000 000 0 00000 000 0 00000 000000.

ACM-Y500

000 0 0000 000 :00 00000 (000 1000) 00000 000 0 00000 000 0 00000 000000.

ACM-Y280-W

You may need







ACM-Y100S

ACM-Y130

ACM-Y066

0000 000) 000 000 000) 000 41 \times 98 \times 130 :0000 000







ACM-Y180ZL COLUMN TERROR TO THE TERROR TO T

ACM-Y180-L





OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs , We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- Electromagnetic lock & Smart Door Lock Production Line:
- Monthly production quantity is up to 100,000pcs.
- · Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- RFID & NFC Cards & Tags Production Line:
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)

Bus, supermarket, school, government, hospital, factory

Goldbridge Provides OEM&ODM services for LOGO printing, development.

ADVANTAGE

APPLICATION



WHY CHOOSE US?

- FAST DELIVERY Faster delivery by air by express. (DHL,UPS or Fedex)
- LONG HISTORY 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY Design and manufacture high quality produtes with 30 R&D; engineers.





CERTIFICATE



























