


□□□□□□ □□□□

□□□□□□□ □□□□□ □□□□□) □□□□□□□□ □□□□□)

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

[illegible]

60 □□□□□□ □□ □□

□□□ $22 \times 40 \times 80$: □□□□□ □□□□□

[illegible]

□□□ 10 × 33 × 74 : □□□□□□
(□□□ 100) □□□ 60 : □□ □□□□

(100) 60 : 100
 100 : DC12V 10

12 : 0V / 300mA

12 : 0.000000 V / 300mA
0.000000 0.000000 0.0000 0.00 0.0000 20 : 0.0000 0.0000 0.0000

(131-14) 55 10- :

(131-14) 55 10- :
90 0 :

000000 000000 000000 :00

000000 0000000 00000 0000 000000 :000000 000000 0000 0000000

000 0.55 :000000

.00000000 00000000 000000000 00000000 0000000 000000

0000000 00 0000000 000000 000000 00000





Diagram with remote control



Using Example



□□□□ □□□□□□□□ □□□□

:□□□□

□□□ 350 / (□□□ 600) □□□ 280 / (□□□ 350) □□□ 180 □□□□ □□□□ □ □□□□ □□□□ □□□□□□□□□□ □□□□ □□□□□□□□.

(□□□ 1000) □□□ 500 / (□□□ 800)

□□□□□□ □□□□□□ □□□□□□ □□□□ □□□□ (MOV).

.□□□□ □□□□□□ □□□□□□ □□ □ □□□□□ □□□□□□ □□□□ □□□□□□□□ □□□□ □□□□□□

.□□□□□□ □□□□□□

.□□□□□□□□□□ □□□□□□ □□□□ □□□□□□

.□□□□ □ □□□ □□ □□□□□□ □□□□ □ □□ □□□□ □□□□ □□ □□□□ □□□□

.□□□□ □ □□□□□□ □□□□□□ □□□□□□ □ □□□□□□ □□□□□□ □ □□□□□□ □□□□□□ □ □□□□□□ □□□□□□ □□□□□□

:□□□□□□

(□□□ 1000) □□□ 500 / (□□□ 800) □□□ 350 / (□□□ 600) □□□ 280 / (□□□ 350) □□□ 180 :□□□□□□□□ □□□□

□□□□□□: DC 12V


□□□□□□ □□□□ 430-380 :□□□□□□□□

(□□□□□□□□□□ □□□□ 131 □□□□ 14) □□□□□□ □□□□ 55 □□□□ 10- :□□□□□□ □□□□□□ □□□□□□


□95 □□□□ 0 :□□□□□□□□□□

报警系统 报警系统 :报警系统 报警



Normal Magnetic Lock Connection Diagram




With Feedback Function Magnetic Lock Connection Diagram




With U Bracket Installation Guide




With L Bracket Installation Guide




With ZL Bracket Installation Guide




180kg 350lbs




280kg 600lbs



320kg 800lbs



500kg 1000lbs







Re: ACM Brand Door Electromagnetic Magnetic EM Lock

				
Magnetic lock (60kg/100lbs) , Size: 80x38x25 mm (ACM-Y60)	180KG/300LBS indicator magnetic lock, LED , Size: 170x40x21 mm (ACM-Y180/Y350/Y500)	280KGS/600LBS LED/Timer Magnetic Lock, 5bolts Size: 250x47x25 mm (ACM-Y280)	560kg/1200lbs LED Dual Door Magnetic Lock ,Size: 500x47x25 mm (ACM-Y280D)	280kgs/600lbs & 180kg/300lbs Concealed magnetic lock (ACM-Y280N:224x40x25 mm /Y180N:184x30.5x22.5 mm)


RE: Electric Strike , Electric Deadbolt Lock , RIM Lock, Cabinet Lock

				
Long type Electronic Strike LockSize: 250x25x31mm (ACM-Y132)	Electronic Strike Lock Size: 110x25x31mm (ACM-Y130)	Electronic Strike Lock Size: 149x28x31mm (ACM-Y131)	Model Item: ACM-Y138A / ACM-138B Lock Size: 149x39x34mm	Model Item: ACM-Y137S Feedback Singal Lock Size: 150x38x34mm
				
ACM-Y100-2pin Fal Safe Sturdiness Electronic lock Lock Size : 205x34x40 mm	Item: ACM-Y200 -2pin Timer-delay Lock , Power to unlock , 205x34x40 mm	Item: ACM-Y100S -2Pin Time -delay &NO/NC feedback signal Power to unlock. 205x34x40 mm	Item: ACM-Y200S -5Pin Time -delay &NO/NC/COM feedback signal, 205x34x40 mm	Item: ACM-Y300S -5Pin Time -delay &NO/NC/COM feedback signal, 235x35x42 mm
				
Model Item: ACM-YB032 Electric Display Cabinet Lock	Item: ACM-Y700A/ACM-Y700B Fail Safe Sturdiness Narrow Door lock NO/NC. 205x30x38mm	Model Item: ACM-Y138A/ ACM-138B Lock Size: 149x39x34mm	ACM-Y500U frameless glass doors and glass wall Lock Size : 148x43x39 mm	ACM-Y800 Electric Dropbolt with Key Lock Size: 268x30x38mm
				
Stainless steel electric control RIM lock,Size: 125x98x36mm (ACM-Y091)	CISA Electric RIM Lock, Size: 148x107x35 mm (ACM-Y035)	Yale Waterproof Electric RIM Lock, Size:140x116x55 mm (ACM-Y045)	Hot Sale Electric RIM Lock, Size: 126x101x39 mm,Double cylinders with push button (ACM-Y042)	Yale Waterproof Electric RIM Lock, Size:140x116x55 mm (ACM-Y047)


Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !


2 Lock Diagram




Installation




Bracket Installation



3 Wiring Diagram



PCB Diagram



□□□□□□□□ □□□□□□□□

□□□□□ □□□□□

□□ □□□ □□□□□ □□□□□ DHL □ FEDEX □ TNT □ UPS □ EMS □ Forwarder by SEA □ AIR

.□□ □□□□□ □□□□□ □□□□ □□□□□ □□□□□

□□□□□□□□ □□□□□□□□

□ □□□□□□□ □□ □□□□□ 12 □ □□□□□ □□□ □□□□ 1 :□□□□□□□□ □□□ □□□□□□

□□□□□□ □□□ □□□□□ 50 .□□□□ 25 :□□□□□□□□□ □□□□□ □ □□19.3 * 13.5 * 54.3 : □□□□□□□ □□□□□ □□□□





ACM-Y280N

/ □□□ 280) □□□□□□ □□□□ □□□□□□□□ □□□
 □□□ □ □□□□ □□□ :□□ □□□□□ (□□□ 600
 □□□□□ □□□ | □□□□ □ □□□□□ □□□ □ □□□□□□

ACM-Y180

(□□□ 300 / □□□ 180) □□□□□ □□□ □□□□□
 :□□ □□□□□.□□□ □□□□□ 2 □□□□□□□□□ □□□
 □ □□□□□ □□□ □ □□□□□ □□□ □ □□□□ □□□
 □□□□□□ □□□□□ □□□.

ACM-Y280

280 mm 280 mm 280 mm (mm 600) mm
mm mm mm :mm mm mm mm mm
mm mm mm mm mm mm mm
mm mm.



ACM-Y350

mm 350 mm mm mm mm mm
mm mm mm :mm mm (mm 800)
mm mm mm mm mm mm
mm mm.

ACM-Y500

mm 500 mm mm mm mm mm

□□□ □ □□□□ □□□ :□□ □□□□□ (□□□ 1000)
□□□□□ □□□ □ □□□□□ □□□ □ □□□□□
□□□□□□.

ACM-Y280-W

□□□ 280 □□□□□□ □□□□□ □□□□□□□□ □□□
□□□ :□□ □□□□□ □□□□□ □□□□□ (□□□ 600)
□□□ □ □□□□□ □□□ □ □□□□□ □□□ □ □□□□
□□□□□□ □□□□□□.

You may need



ACM-Y100S

5) 0000000000 00000000 0000(PIN) 0000
000000 0000000000 00000000 000000 00
0000000000

ACM-Y130

0000000000 00000000 0000 (NC /
NOOptional)

110 :000000 000x28x31 0000 000000

ACM-Y066

00000 0000) 0000 0000 0000)

0000 41 × 98 × 130 :000000 0000

!!! 00000 3 00 00000000 00000 0000 0000000000 00000000 0000 000000

0000 00 00000 0000000 00 00000000 0 00000000 00 0000000 20 00 00000000 0000 00000000 00 00000000 0000000000 0000000000 00000000 0000
!00000 "000000" 0000 00000 0 0000000 0000000000 00000000 000000 0 0000 !00000000 00 00000000 000000
0000000000 00 00000000 000000 00000 00 0000 0000000 00 000000 00000000 00000000 000000 0000 000000 0000.

00000000000000 0000000 0000 00 0000000 00000000





ACM-Y280-L

꺽꺽 L 350 / 꺽꺽 280 꺽꺽꺽꺽꺽꺽 꺽꺽꺽
꺽꺽

ACM-Y280Z

꺽꺽 Z 꺽꺽 280 꺽꺽꺽꺽꺽꺽 꺽꺽꺽

ACM-Y280-ZL

꺽꺽 ZL 350 / 꺽꺽 280 꺽꺽꺽꺽꺽꺽 꺽꺽꺽
꺽꺽

꺽꺽꺽꺽꺽

1 꺽 꺽꺽 24 꺽꺽 꺽 꺽꺽꺽꺽꺽꺽 꺽 꺽 꺽꺽 꺽꺽

꺽꺽꺽꺽꺽 꺽꺽꺽꺽꺽 꺽꺽 꺽 꺽꺽꺽 꺽꺽꺽 꺽 꺽 꺽꺽 꺽 꺽꺽꺽 꺽꺽꺽꺽 꺽꺽꺽 꺽 2

3 꺽 OEM / ODM 꺽꺽꺽

꺽꺽꺽 꺽 꺽꺽꺽 꺽꺽 꺽 4 fashin 꺽 꺽꺽꺽 꺽꺽 꺽 꺽꺽꺽꺽 꺽꺽꺽 꺽꺽

:꺽꺽꺽 꺽꺽 꺽 꺽꺽 꺽 5

꺽꺽꺽꺽 꺽 꺽꺽꺽꺽 꺽꺽 꺽 꺽꺽 꺽꺽꺽 꺽 꺽꺽 꺽 (1

꺽꺽꺽 꺽 꺽 꺽꺽 꺽꺽꺽 꺽꺽 꺽 꺽꺽꺽꺽 꺽꺽 꺽 (2

꺽꺽꺽꺽 꺽 꺽꺽꺽 꺽꺽꺽 꺽 꺽 꺽 꺽꺽 3-2 꺽꺽 꺽꺽꺽 꺽꺽꺽꺽 꺽꺽 꺽꺽꺽 꺽 (3

꺽꺽꺽꺽 꺽꺽꺽 꺽꺽 30 ~ 7 꺽 꺽꺽꺽 꺽꺽꺽 꺽꺽 5 ~ 1 꺽꺽꺽 : 꺽꺽 꺽꺽꺽 꺽 6

꺽 꺽꺽꺽 꺽꺽꺽 꺽꺽꺽 꺽꺽꺽 :꺽꺽꺽 꺽 7: T / T 꺽 꺽 꺽 꺽 꺽꺽꺽 꺽꺽꺽꺽

꺽 꺽 꺽꺽꺽 꺽꺽꺽 :꺽꺽꺽 꺽 8 DHL 꺽 FEDEX 꺽 TNT 꺽 UPS 꺽 EMS 꺽 Forwarder by SEA 꺽 By AIR 꺽 꺽꺽꺽 꺽꺽꺽

꺽 꺽꺽꺽 꺽꺽꺽 꺽꺽꺽꺽.

꺽꺽꺽꺽 꺽꺽꺽꺽꺽:

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba,
Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader,
UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

ADVANTAGE



WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.




OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized etc



Door Lock Production Line

Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



