



[illegible]

D
D
B
*
W
5
8
*
H
2
4
m
m
D
D
V
D
C
D
D
A
D
:
D
D
D
D
D
D
D
D
D
D
D
D
:
D
D
D
9
D
D
D
D
D
D
D
D
D
D
D
E

0 0 0 0 E M 1 2 6 K H Z 0



□□□□□

1 □□□□□ □□□□□□□□ □□□□ □□□□ □□ □□□□□ □ □□□□□ □□□□ □□□□□ □□ □□□□□□
.□□□□□□ □□ □□□□□□ □□□□□□ □□□□□□ □□□□□□

□□□□□□ □□□□□ □□□□ .2 Wiegand 26 □ □□□□□ □□□□□ □□□□□□□□□□ □□□□□

.□□□□□□□ □□□□□□□□ □□□□□□ □□□□□ □□□□ □□□□ □□□□ □ □□□□ □□□□ □ □□□□□ □□□□ .3

.□□□□□ 0.1 □□ □□□ □ □□□□□ □□□□□□ □□ □□□□□□□ □□□□.4

4000. □□□□□□□ □ 1000 □□□ □□□ □□□□□□ □□□□□ □□□ □ □□□□□ □□□□ □□□□ □□□□ □□□□ .5

□□□□□ □□□ □□□□□ □□□□□□ □□□□□ □□ .6.

□□□□□□□ □□□□

ACM208C 12.5" 12.5" 12.5" RFID 12.5" 12.5" 12.5" 1000 12.5" LED



The image shows a sleek, silver-colored ACM208C Metal Standalone RFID Door Access Control unit. It features a large, rectangular keypad with blue numbers and symbols on a white background. The keypad includes digits 1-9, 0, *, and #, along with a small circular button at the bottom. Above the keypad is a red LED indicator. The unit is shown in a modern interior setting, with a sofa and a lamp visible in the background.

ACM

**Metal
Standalone
RFID**

Door Access Control

Capacity Of Cards
2000 Users

Wiegand 26



□□□□ □□ □□□□ □□

نحن مصنعون محترفون للتحكم في الوصول ، لدينا نظام كامل للتحكم في الوصول إلى المنتجات على النحو التالي:





ACM223

RFID 125/4000 US 125

ACM209-NW

RFID (125) EM

ACM208

RFID



ACM210

በግብይት ስርዓት ላይ የሚያገለግል የግብይት
RFID (የግብይት ስርዓት)

ACM225

በግብይት ስርዓት ላይ የሚያገለግል የግብይት RFID
በ 125 ኪሎ ስርዓት EM የግብይት ስርዓት
በግብይት

ACM211B

በግብይት ስርዓት ላይ የሚያገለግል የግብይት
በግብይት ስርዓት የግብይት ስርዓት RFID

