

--	--	--	--	--	--	--	--

□□□□□□ □□□□□□ □□□□ □□□ □□□□□ □□□□ □□□□□□ □□ □□□□ □□□□ □□□□□.1

1 □□□□□□□D

2.20 在下列各数中，找出所有能被 5 整除的数。

[illegible]

00000 **000000** **00** **000000** **0000000** **000000** **000000** **0** **000000** **00000** **0000** .**4**

0000 .5 LED 00000000 00 00000000 000000 000000 0000 0000 000000 0000 000000 000000
00000000 00000000

[illegible]

. □□□ □□□ □□□□ □□□□□□ □□□□□□ □□□□□□ □□□□ □□□□

[illegible]

--	--	--	--	--	--	--	--

0 1 2 3 4 5 6 7 8 9 10

□ □ □ □ □ □ □ □ □ □

[illegible]

□□□□ □ (□□□□□□□□ □□□□□ □ □□□□□ □□□□□ □ □□□□□□ □□□□□ □ □□□□□□□□) □□□□□□□□.

□ □ □ □ □ □

□ □ □ □ □ □ □ □

11

650nm

0 ~ 200 ㎖

@ UPC /

EAN PCS

$$= 90^\circ$$

5 □□□□□

□□□□□

20 □□□

1650 / □□□

□ □ □ □ □

0.1 □□□

30 (UPC /

EAN 100□)

LED

□ □ □ □ □ □

□□□□)

□□□□□)

□□□□□□ LED

□□□	□□□□□□ □□□□ □□□□□□ HID USB □ USB □□□□□□ COM □ RS232
□□□□□□ □□□□□□ □□□□□□	
□□□□□□□□□□ □□□□□□□□	
□□□□	□□□ × □□□ :□□□□□□ × * □□ 114 * □□ 114 □□ 156 290 □□□□□□ □□□□) □□□□) 1.8M □□□□□□□□
□□□	□□□□□□ □□□□) □□□□) 1.8M □□□□□□□□
□□□□	5vdc +/- 10□
□□□□□□ □□□□□□	□□□□□□ CDRH □□ □□□□□□ IIa □ IEC 60825-1 Class 1
□□□□□□□□ □□□□□□	
□□□□□□□□ □□□□□□	

UPC / EAN
/ JAN □
UPC-A &
UPC-E □
EAN-8 &
EAN-13 □
JAN-8 &
JAN-13 □
ISBN /
ISSN □
39 □□□□
□□) ASCII
□□□□□□) □
Codabar
(NW7) □
128 □□□□
□ EAN 128
□ 93 □□□□
□□ 2 □□□□ □
5 (ITF) □
2 □□□□□□
□□□ □ 5 □□
IATA □
MSI /
Plessy □
□□□□□
□□□□□□□
□ □□□□□□
32 □□□□
□□□□□□□□□□
□□□□□□□□□□
□ RSS 14 □
RSS
Limited □
RSS
Expanded

[:مواصفات الماسح](#)



CAUTION  **LASER LIGHT, WHEN OPEN
DO NOT STARE INTO BEAM**
Complies with IEC 60825-1 and IEC 60825-2
permanently Laser Notice No. 50 dated July 14, 2011
CLASS II LASER PRODUCT
ACCURACY: 1/8" @ 30' (1/4" @ 60')
FLARE LASER PRODUCTS, INC.



CAUTION  **LASER LIGHT, WHEN ON**
DO NOT STARE INTO
CONTAINS BATTERIES. DO NOT OPEN TO AVOID FIRE. DO NOT STARE INTO LASER BEAM.
PARTS ARE NOT TO BE USED FOR ANY OTHER PURPOSE.
EMERGENCY: 1-800-4-A-LEVER (1-800-425-3837)
© 2005 LEVER. ALL RIGHTS RESERVED.
CLASS 1 LASER PRODUCT - HAZARD FREE














How to Use This Barcode Scanner?

1. For better scanning function, please hold this scanner at right angle, don't decode it at 90°.



2. For truly decoding the barcode, scanning laser must cover the whole barcode.



How to Assemble/Disassemble the Cable?

Plug sharp things like toothpick or clip into the right hole and then pull out the cable easily.





Shakeproof



Super decoding



Compatible
different terminal



High Cost-Effective

WE PROVIDE THE MOST COMPLETE
PROFESSIONAL SCANNING APPLICATION



Logistics express
barcode



Supermarket
barcode



Medical
barcode



Factory
inventory



Machine
customization

Shipping



□□□□□ □□





ACM26X 125KHz 26bit RFID

125KHz 26bit 125 125KHz 26bit
26/34

16.8 × 75.5 × 115 :mm

ACM26G 13.56MHz 26bit RFID

125 13.56 / 26bit 26bit
26/34

26/34 / RS232

KR600E 125KHz RFID

125KHz ID / 13.56Mhz 26bit
Wiegand 26





RFID卡 ACM-EMI-S RFID

125 频率 RFID 卡 EM
尺寸 54 * 86 毫米

RFID卡 ACM-MF1 RFID

125 频率 MF1 1K 容量

RFID卡 ACM-ABS003 RFID

Keyfob

125 频率 RFID 卡 EM / 13.56 频率 RFID 卡
/ UHF Keyfob 卡 容量 : 1024 字节
RFID 卡 125 频率 13.56 频率 UHF 频率

- 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% ACM Goldbridge 100%
100% 100% 100% 100% 100% 100%
100% 100% 100% 100% - ACM Goldbridge 100% 100% 100% 100% 100%
100% 100% 100% 100% 100% 100% 100% 100% 100% 100% -.

100%

1 100% 24 100% 100% 100% 100% 100%
100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 2
3 100% / ODM 100%
100% 100% 100% 100% 4 fashin 100% 100% 100% 100% 100%
:100% 100% 100% 100% 5
100% 100% 100% 100% 100% 100% 100% 100% 100% 100% (1
100% 100% 100% 100% 100% 100% 100% 100% 100% 100% (2
100% 100% 100% 100% 100% 100% 3-2 100% 100% 100% 100% 100% (3
100% 100% 100% 30 ~ 7 100% 100% 100% 5 ~ 1 100% :100% 100% 100% 6
100% 100% 100% 100% :100% 100% 7: T / T 100% 100% 100% 100%
100% 100% 100% :100% 100% 8 DHL 100% FEDEX 100% TNT 100% UPS 100% EMS 100% 100% SEA 100% AIR 100%
100% 100% 100% 100% 100% 100%.

100%

100% 100% 100% 100% .1 :
100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% :
100% 100% 100% 100% 100% 100%

100% 100% 100% .2 :
100% 100% 100% : T / T 100% 100% 100% 100% 100%
100% 100% 100% 100% 100% 100% 100% 100% 100% 100% (DHL 100% FedEx 100% TNT UPS 100%
(.100%

100% 100% 100% 100% 100% 100% 100% 100% .3 :
100% 100% 100% 100% 100% 100% 100% 100% 100% :

100% 100% 100% 100% .4 :
100% 100% 100% 100% 15-7 100% 100% 100% 5000 100% 7-3 100% 100% 100% 100% :
100% 100%

100% 100% 100% 100% .5 :
100% 100% 100% 100% 100% 100% 100% 100% 100% 100% 100% : OEM 100%
100% 100%

100% 100% 100% 100% .6 :
100% 100% 100% 100% 100% 100% RFID / 100% NFC / 100% RFID / 100% RFID
100% RFID 100% 20 100% 100% 100% 100% 100% 100%.