

## የጥራት ማረጋገጫ

፡ጥራት

የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ - SMS.

- .የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ

.የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ -

የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ - GSM .የጥራት ማረጋገጫ

.የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ -

.የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ - ማረጋገጫ -

.የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ 200 ማረጋገጫ ማረጋገጫ ማረጋገጫ -

3 ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ -A / 240VAC .የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ

ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ -

.(የጥራት ማረጋገጫ)

የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ -

.የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ


የጥራት ማረጋገጫ ማረጋገጫ .የጥራት ማረጋገጫ ማረጋገጫ ማረጋገጫ - GSM GPRS ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ ማረጋገጫ

ማረጋገጫ "የጥራት ማረጋገጫ" ማረጋገጫ ማረጋገጫ/ማረጋገጫ.

# GSM REMOTE CONTROL GATE OPENER



|         |                                         |
|---------|-----------------------------------------|
| 工作电压    | 850/900/1800/1900 MHz 四频 GSM            |
| 控制电压    | NC/3 线制 控制电压 AC240VAC                   |
| DC 控制电压 | 9-24VDC/2A                              |
| 控制功率    | 最大功率/待机功率 50 W/12 W 待机功耗 25 W           |
| 工作电压    | 工作电压 SIM 3V                             |
| 工作电压    | 工作电压 ACM 50Ω                            |
| 工作电压    | 3 线 9.84/1                              |
| 工作电压    | -20-60 摄氏度 湿度                           |
| 工作电压    | 90 分钟 待机时间%                             |
| 工作电压    | 82 × 76 × 27 mm 1.06 × 2.99 × 3.23 / 英寸 |



**1. Signal light**

**2. Relay light**


**3. Power port**

**4. Normal open**


**5. Com**

**6. Normal close**









# GSM Remote Control Gate Opener



- ✓ No Call Charge
- ✓ Remote On/Off Control
- ✓ GSM850/900/1800/1900MHz
- ✓ Up to 200 Authorized Number





□□□ □□□ □□□□□□:




RE:Access Control Power Supply

|                                                                                                                                                                                                                                     |                                                                                                                                                                                                                          |                                                                                                                                                                                                                                          |                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div></div> <div><p><b>ACM-Y802-3A</b><br/>Power Supply and<br/>door release exit<br/>button Dual Function<br/>AC110V-240VDC,<br/>12V 3A</p></div> | <div></div> <div><p><b>M801B-3A /5A</b><br/>Access Control Door Power<br/>Supply<br/>Size: 190Lx85Wx80H(mm)<br/>AC110V-240VDC</p></div> | <div></div> <div><p><b>M806B-3A /5A</b><br/>Access Control Door Backup<br/>battery Power Supply<br/>Size: 190Lx85Wx80H(mm)<br/>AC110V-240VDC</p></div> |                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                    |
| <div><p><b>ACM-Y803A</b><br/>Voltage: DC 12V /3A</p></div> <div></div>                                                                             | <div><p><b>ACM-Y806-3A</b><br/>Voltage: DC 12V /3A<br/>AC110V-240VDC</p></div> <div></div>                                              | <div><p><b>ACM-Y806-5A</b><br/>Voltage: DC 12V /5A<br/>AC110V-240VDC</p></div> <div></div>                                                              | <div><p><b>ACM-Y801-3A</b><br/>Voltage: DC 12V /3A<br/>AC110V-240VDC</p></div> <div></div> | <div></div> <div><p><b>ACM-5A</b><br/>12V 5A door control system 12V 5amp<br/>access power supply with battery backup<br/><b>(Special For access control board use)</b><br/><br/>Size: 279x234x67MM<br/>Input Voltage:110-240V<br/>Voltage: DC 12V /3A</p></div> |

RE:Door Loop / Door Closer

|                                                                                                                   |                                                                                                                                                               |                                                                                                                                                       |                                                                                                                       |                                                                                                                        |                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>ACM401 Door Loop</b></p>  | <p><b>ACM601F 200mm Metal</b><br/><b>ACM601S 200mm stainless steel</b></p>  | <p><b>ACM-101 130mm Longer</b><br/><b>ACM-102 180mm Longer</b></p>  | <p><b>ACM-301 400mm Longer</b></p>  | <p><b>ACM-201 400mm Longer</b></p>  | <p><b>Door Closer</b></p> <p><b>ACM-M59 25-45KG</b><br/><b>ACM-M60 45-65KG</b><br/><b>ACM-M61 65-85KG</b></p>  |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

RE:Sensor and Siren For Access Control System

|                                                                                                                                                                   |                                                                                                                                                                      |                                                                                                                                                                      |                                                                                                                                                                       |                                                                                                                                                                                                   |                                                                                                                                                                                         |                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Item: AS603</b><br/>Piezo Strobe Siren<br/>Operating voltage: 12VDC</p> |  <p><b>Item: AS31</b><br/>Operating distance: 16mm<br/>±5mm Switch output: NC</p> |  <p><b>Item: AS32</b><br/>Operating distance: 18mm<br/>±5mm Switch output: NC</p> |  <p><b>Item: AS36</b><br/>Operating distance: 40mm<br/>±10mm Switch output: NC</p> |  <p><b>Item: AS57AC</b><br/>Operating distance: 18mm<br/>±5mm Switch output: NC<br/>Applies to steel door</p> |  <p><b>Item: ACM-MD601</b><br/>Standard Wall Mount Door Holder<br/>Holding force: 60kg(120Lbs)</p> |  <p><b>Item: ACM-MD602</b><br/>Glass door Mount Door Holder with door signal<br/>Holding force: 60kg(120Lbs)</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

RE:Remote Control For Access Control System

|                                                                                                                                                   |                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                              |                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Item: ACM-K19</b><br/>Metal WIRELESS Remote Control</p> |  <p><b>Item: ACM-K18</b><br/>WIRELESS Remote Control</p> |  <p><b>Item: ACM-K20</b><br/>WIRELESS Remote Control For Automatical Door,NO/NC/COM<br/>115*40mm</p> |  <p><b>Item: ACM-K19A</b><br/>Metal Access Control WIRELESS Remote Control 2 channel</p> |  <p><b>Item: ACM-K19B</b><br/>Metal Access Control WIRELESS Remote Control 4 channel</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Whatsapp: +86-14554918707 , E-mail: lilyjiang\_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Prouducts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !





**EXW**  
**FCA    FOB**  
**CIF    CFR**

|  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|

[illegible]

- [illegible]

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|

□□□□□□ □□□□□□ □□□□□□ □□□ .1 :

00000000 00000000 00000000 0000 00  
 000000 00000 00000 00000 00 000000 00 00000 0000 00 .000000000000 00000000 000 0000 0000000000 0000 00000 :0  
 .00000 0000 00000 00 0000000000 00000000 00000 0000 0000000000



# 20<sup>+</sup> YEARS EXPERIENCE OEM & ODM

## ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized  
Services



Quality  
Assurance



Fast  
Delivery



Best After-  
Sales Service

## OUR FACTORY



### Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized etc



### Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



### RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

## ADVANTAGE



### WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

## APPLICATION

Bus, supermarket, school, government, hospital, factory



## CERTIFICATE



