

RFID 101
RFID 101
RFID 101

ACM-A88 101
ACM-A88 101
ACM-A88 101
ACM-A88 101
ACM-A88 101
ACM-A88 101
ACM-A88 101
ACM-A88 101
ACM-A88 101
ACM-A88 101



7.exit 門鎖 門鎖 門鎖 門鎖 門鎖.

門鎖 門鎖 門鎖

ACM-A88 門鎖 Rfid 門鎖 門鎖 門鎖 門鎖 門鎖 8000 門鎖 門鎖 門鎖 門鎖 LED

Product function

- Touch panel, doorbell button
- Metal case with blue backlight
- WG26/34 input/output
- Support Card, Pin, Card + PIN
- Full programming from the keypad
- Humanized tamper alarm function
- Can set up a management card
- Active and passive lock signal output
- Imported double point relay output signal
- Contactless for RFID transponder technology
- Connection for external release button (Exit button)
- Memory capacity: 8000 user cards and 1 passwords
- Does not need to connect on computer, it can works alone
- The same series of access control support data copy and backup
- Can be used when the password read head and one machine



产品解析

Product analysis



[صورة مفصلة](#)

Wiegand 26 100000 10000 1000000 10000000 100000000 1000000000 10000000000 100000000000





ACM-Y100S


5) 0000000000 00000000 0000(PIN) 0000
 00 0000000000 00000000 000000 00
 000000000000 00000000

ACM-Y280

280 0000 (0000 600) 0000000000
 :000 000000 0000000000 000000000000
 0 000000 0000 0 0000000 0000 0 000000 0000
 00000000 00000000 0000.

ACM-K2A / B

0000 0000 000000 000000 00000000 0 K2A
 0000 25 × 70 × 115 :00000000 0 K2B
 0000 25 × 86 × 86 :00000000



ACM-Y806-3A

□□□□□□□□ □□□□□□ □□□□□□□□ □□□□□
12V 5A □ canput bucket □□ □□□□□□□□
□□□□□□

ACM26X

□ □□□□ □□□□ 125 26/34 □□□□□ □□□□□
16.8 × □□□ 75.5 × □□□ 115 :□□□□□□□□
□□□

ACM-EMI-S

125 □□□□□ □□□□□ □□□□ □□□□ EM

