



IP68 防塵防水等級最高，可全天候戶外使用。支援多種開門方式，包括密碼、rfid 感應卡、指紋等。

ACM-A60 採用高品質鋁合金材質，外觀簡約大方。支援多種開門方式，包括密碼、rfid 感應卡、指紋等。支援 Wiegand 26 位元感應卡，可與現有系統整合使用。

1

2

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

1

2

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

1

2

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

1

2

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

1

2

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

1

2

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

1

2

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

1

2

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

☐

[illegible]

					8	0					
--	--	--	--	--	---	---	--	--	--	--	--

$\frac{E}{M} = \frac{1}{3} \cdot 56$

000PIN000000400001111190000:



[illegible]

Product function

- ◆ Touch control waterproof panel,
- ◆ Metal casing with blue backlight
- ◆ WG26 / 34 input / output
- ◆ Support card, pin, card + Pin
- ◆ Full programming from the keyboard
- ◆ Human tampering alarm function
- ◆ Can set the management card
- ◆ Active and passive lock signal output
- ◆ Imported double point relay output signal
- ◆ Non contact type for radio frequency identification transponder technology
- ◆ Connect to the external release button (exit button)
- ◆ Memory capacity: 8000 user cards and 1 passwords
- ◆ Do not need to be connected to the computer, it can work alone
- ◆ The same series of access control supports data backup and backup
- ◆ Can be used to read the header and a machine



ACM-A60 门禁机

ACM-A60 门禁机 支持 刷卡、密码、刷卡+密码 三种开锁方式。支持 Rfid 射频识别技术，支持 2000 张卡片，支持 LED 背光显示。

ACM-A60 Model



Touch metal door access controller

Support rfid card, password,
rfid card + password.
Support 8000 user capacity

Support fast data copy



Lightning delivery



Global sales



Package mail



Technical support



After-sale

000000-00000

00000000 0000 0000 0000 00000000 00 0000 000000 00000000 0000 0 00000000 26/34 000000000000

产品解析


Product analysis



Work indicator




Touch waterproof button & Card area



Door bell



Wiring diagram



Attention when electronically controlled lock must be transferred to 0seconds delay, to prevent burning of electric lock.

□□□□□ □□

□□□□□ □□□□ □□□□ □□□□□□ □□ □□□□□□



ACM-Y100S

5) □□□□□□□□ □□□□□□ □□□(PIN) □□□
□□□□□ □□□□□□□□ □□□□□□ □□□□□ □□
□□□□□□□□□□

ACM-Y280

280 00000000 000 (000 600) 000
0 0000 000 :00 000000 000000 000000
000000 000 0 000000 000 0 000000 000
000000.

ACM-K2A

0000 000000 Realese 000 0000 000000
000 0 K2A: 115 × 70 × 25 00 0 K2B
00 25 × 86 × 86 :000000



ACM-Y806-3A

12 0000000000 000000 000000V 5A
0 0000 00000000 000000 00 0000

ACM26X

125 ㎐ 125 Khz wiegand 26/34 ㎐ : ㎐ ㎐ ㎐ ㎐
115mm × 75.5mm × 16.8mm

ACM-EMI-S

㎐ ㎐ ㎐ 125 ㎐ ㎐ ㎐ ㎐ EM

㎐ ㎐ ㎐ ㎐ ㎐

㎐ ㎐ ㎐ ㎐ ㎐

㎐ ㎐ 24 ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ 1.
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ 2.
3.OEM / ODM ㎐ ㎐
㎐ ㎐ ㎐ ㎐ 4 fashin ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐
: ㎐ ㎐ ㎐ ㎐ 5.
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ :
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ :
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ 3-2 ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ :
㎐ ㎐ ㎐ ㎐ 30 ~ 7 ㎐ ㎐ ㎐ ㎐ 5 ~ 1 ㎐ ㎐ : 6.
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ : 7: T / T ㎐ ㎐ ㎐ ㎐ ㎐ ㎐
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ : 8 DHL ㎐ FEDEX ㎐ TNT ㎐ UPS ㎐ EMS ㎐ Forwarder by SEA ㎐ AIR ㎐ ㎐ ㎐ ㎐ ㎐ ㎐
. ㎐ ㎐ ㎐ ㎐

㎐ ㎐ ㎐ ㎐ ㎐

㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ - ACM Goldbridge ㎐ ㎐ ㎐ ㎐ ㎐ ㎐
. ㎐ ㎐
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ - ACM Goldbridge . ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ -.

㎐ ㎐ ㎐ ㎐ ㎐

㎐ ㎐ ㎐ ㎐ 1. :
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ . ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ :
. ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐

㎐ ㎐ ㎐ 2. :
㎐ ㎐ ㎐ ㎐ : T / T ㎐ . ㎐ ㎐ ㎐ ㎐ ㎐ ㎐
㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ (DHL ㎐ FedEx ㎐ TNT UPS ㎐ (㎐

㎐ ㎐ ㎐ ㎐ 3. :
. ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐

㎐ ㎐ ㎐ 4. :
㎐ 100000 ㎐ 15-7 ㎐ 5000 ㎐ 7-3 ㎐ ㎐ . ㎐ ㎐ ㎐ ㎐ : ㎐

㎐ ㎐ 5. :
㎐ . ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ : OEM . ㎐ ㎐ ㎐ ㎐

㎐ ㎐ 6. :
㎐ ㎐ ㎐ ㎐ RFID / ㎐ NFC / RFID keybod / RFID wristband ㎐ ㎐ rfid
㎐ 20 ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ ㎐ .

