








# Four Door Access Controller Wiring Diagram (TCP/IP Communication)



# Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School

□□□□□□□□ □□□□□□□□

.□□□□ □□□□ □□□ □□□□□□□□ □□□□ □□□□□ □□□□□ □□ □□□□ □□ □□□ □□  
 .□□□□□ □□□ □□□□□ □□□□□□□□ □□□□□□□ □□□□□□  
 □□□□ □□□ □□□ □□ □□□□□□ □□ □□□□ □□□□□.



**EXW**  
**FCA FOB**  
**CIF CFR**





**ACM-K2A / □**

□□□□ □□ □□□□ □□ Release □□ □□□□□  
□□□□□□

**ACM-Y180**

180) □□□□□ □□□ □□□□ □□□□□□□□ □□□□  
□□□□)

**ACM-Y806-5A**

5 □□□□□□ □□□□□A □□□□□□ □□ □□□□□□





**ACM225**

RFID 12

**ACM-210**

RFID Wiegand

**ACM26X**

125Khz EM Card RFID Reader :  
115mm × 75.5mm × 16.8mm



- 1
- 2
- 3 OEM / ODM
- 4
- 5
- 6
- 7: T / T
- 8 DHL FEDEX TNT UPS EMS Forwarder by SEA By AIR



.1 :  
: :  
:

**2 :**

T / T . (DHL FedEx TNT UPS )

**3 :**

.

**4 :**

10000 15-7 5000 7-3 .

**5 :**

OEM .

**6 :**

RFID / NFC / RFID keybod / RFID wristband rfid 20