

[illegible]

[illegible]

Commissaires :



[illegible]






□□□□□□

- [illegible]

□□□□□□ □□□□











[صورة مفصلة](#)

Wiegand 26



Specification

This system have one built-in reader

This system supports 1000 EM cards

Can work with a WG26 card reader, open the door indoor and outdoor with the card, increase the system security

This system supports multi-mode entry methods("Card only", "Card& Password" and "Card or Password")

Relay output (E-lock), one set of Doorbell

Distance: 5-20cm

Card Type: RFID card/token

Voltage: $12V \pm 10\%$

Unlocking Current: $< 1000mA$

Quiescent Current: $< 60mA$

Capacity

Card:1000

Password: 1000

Card reader distance: 5-20cm

Proximity Card: EM or compatible

Environmental temperature: $-20^{\circ}C \sim 70^{\circ}C$

Relative humidity: $10\% \sim 90\%$

□□□□□ □□

□□□□□□ □□□□□□ □□□ □□□□□□ □□



ACM-Y100S

5) □□□□□□□□ □□□□□□ □□□(PIN) □□ □□□

□□□□□□ □□ □□□□□□□□ □□□□□□ □□□□□□
□□□□□□□□□□

ACM-Y280

280 □□□□□□□□ □□□ (□□□ 600) □□□□□□□□
□□□ □ □□□□ □□□ :□□ □□□□□ □□□□□□ □□□□□□
□□□□□□ □□□□□ □□□ □ □□□□□ □□□ □ □□□□□□.

ACM-K2A

□□□□ □□□ □□□□ □□□□ □□□□□□ □ K2A
□□ 25 × 70 × 115 :□□□□□□ □ K2B :□□□□□□
□□ 25 × 86 × 86



ACM-Y806-3A

12V 5A 1 canput bucket 115 :115

ACM26X

125 26/34 16.8 × 75.5 × 115 :115

ACM-EMI-S

125 115 115 EM

115

115

115 24 115 115 .1

2. professional 115 115 115 115 115

3. oem / odm 115

115 115 .4 fashin 115 115 115 115 & 115

115 .5 :

a: 115 115 115 115 115 115 115

b: 115 115 115 115 115 115

115 115 115 115 115 115 3-2 115 115 :115

115 115 115 30 ~ 7 115 115 115 5 ~ 1 115 :115 .6

115 115 115 :115 .7: T / T 115 115 115

8.Shipping 115 115 115 :115 DHL 115 FEDEX 115 TNT 115 UPS 115 EMS 115 115 115 SEA 115 AIR 115

.115 115 115 115

115 115

115 115 115 115 115 115 115 115 - ACM Goldbridge 115 115 115 .115

115 115 115 115 - ACM Goldbridge .115 115 115

115 115 115 115 115 115 -.

115

115 115 .1 :

a: 115 115 115 115 115 115 115 115 .115 115 115 115 115 115 .115 115 115 115 115

115 115 .2 :

a: 115 115 t / t 115 paypal 115 .115 115

115 115 115 115 115 115 (DHL 115 FedEx 115 TNT UPS 115 (.115

115 115 115 115 115 .3 :

a: 115 115 115 115 115 115 115 115 .

Q: 4. 115 115 115 115 115

a: 115 115 100000 115 115 15-7 115 5000 115 7-3 115 .115 115 115

Q: 5. ພາບ ພາບພາບ ພາບພາບ ພາບພາບ ພາບພາບ

a: ພາບ ພາບ ພາບພາບ ພາບພາບ ພາບພາບ ພາບພາບ .ພາບພາບ ພາບ ພາບພາບ ພາບພາບ ພາບ ພາບ ພາບ ພາບພາບ ພາບພາບ ພາບ ພາບພາບ .ພາບ ພາບພາບ

ພາບພາບ ພາບ ພາບພາບ ພາບ ພາບ ພາບ :6

ພາບພາບ ພາບພາບ ພາບພາບ ພາບ ພາບ ພາບ ພາບ RFID / ພາບພາບ NFC / RFID keybod / RFID ພາບ ພາບ rfid ພາບພາບ ພາບພາບ 20 ພາບ ພາບ ພາບພາບ ພາບ ພາບພາບ ພາບ ພາບພາບ.