



:
 0
 0
 0
 0
 0
 0
 0
 0

1. 安裝前請先確認安裝位置是否正確
 2. 安裝時請先將安裝孔對齊後再鎖緊螺絲
 3. 安裝時請先將安裝孔對齊後再鎖緊螺絲



A Gate box with base

B Gate side column installation



C Gate box without base

(Picture)






■ Install Detector


The loop detectors must only be placed in dry rooms or control cabinets that are protected against all types of moisture and wetness. A distance of at least 10 mm from other devices must be maintained on each side. The ambient temperature must not exceed 65° C. The installation of the induction loop is described in other operating instructions.

■ Wiring Diagram



■ Operation and Indication

When the power is applied, the red Power LED will glow and the detector is tuning, the green Check LED blink about 3 seconds. The green LED will also glow whenever a vehicle is detected passing over the inductive loop. If a loop fault exists the green LED will come on and flash indicating a fault.



000000 00000000 000000 0000 UHF 0000000000 0 0000000000 ACM812A 0 000000 000000 000000 ACM802A 0
 ACM818A 0 ACM801A. 00000000 0000 0 000000 .00000000 000000 00 0000 00000000 000000 ACM801A
 0000000 TAG Multi (200 0000000 0000 000000 0000 0 0000000000 00 000000 .(0000 000 00 00000000 0000
 00000000.





ACM812A

2-5M 〇〇〇〇〇〇〇 〇〇〇〇 UHF 〇〇〇〇
Wiegand 26 Output □ RS232/485

ACM818A

10-20M 〇〇〇〇 UHF 〇〇〇〇〇 〇〇〇〇
Wiegand 26 Output □ RS232/485

ACM802A

8-10M 〇〇〇〇 〇〇〇〇〇〇〇 〇〇〇〇 UHF
Wiegand 26 Output □ RS232/485



10-15M 無線 UHF
Wiegand 26 Output 無線 RS232/485
ACM 8017
uhf 無線 無線
UHFWiFiGRPS
ACM 918K
UHF 4-Antenna 無線 無線 無線
無線 無線

1 □ □□□□ 24 □□□□□□ □□ □□□□□□□□ □□ □□□ □□□□ □□□□
 □□□□□□ □□□□□□ □□□□□□ □□ □□□□□□ □ □□□□□□ □□□□□□ □□□□□□ □□□□□□ □

2
 3 □ OEM/ODM □□□□

□□□□□ □□□□□□ □□□□ □ 4 Desing □ □□□□□ □□□□ □ □□□□□□□ □□□□□ □□□□

: □□□□ □□□□□ □□□ □ 5

□□□□□□□ □□□ □□□□□□ □□ □□□□ □□□□ □□□□□□□□ □□□□ □□□ □□□□ □ (1

□□□□□ □□□ □□□□□ □□□□□□□□ □□□□ □□□□□ □ (2

□□□□□□□ □□ □□□□□ □□□□□ □□□ □□ □□ □□□ □□□□ □□□□□□□□ □□□□ □ (3

□□□□□□□ □□□□□ □□□□□ 30 ~ 7 □ □□□□□□ □□□□ □□□□ 5 ~ 1 □□□□□ :□□□□ □□□□□ □ 6

□□□ □□□□□ □□□□□ □□□□□ □□□□□ :□□□□□ □ 7: T/T □ Western Union □ PayPal

--	--	--	--	--	--	--	--	--

00000 000000 0000000 0000 .1 :0
000000 000000 0000 0 0000 000000 00 000000 00 000000 00 .000000000000 0000000 0000 0000 0000000000 0000 00000 :0
.00000 0000 00000 00 0000000000 00000000 0000000 0

□□□□□□ □□□□□ □□ □□□□ .2 :□

A: T/T ☐ PayPal ☐ Western Union.

□□□□□□ □□ □□□□ □□ □□□□□□ □□□□□□ □□□□ (DHL □ FedEx □ TNT UPS (□□□□ □□□□ □□□□

□□□□□ □□ □□□□□ □□□□ □□□ □□□□□ □□□□□ □□□ .3 :□

.0000 00 000000 00000 00000 000000 0 00 000000 0000 000000 000000 :

□□□□□□ □□ □□□□□ □□□□ □ □□□□□ □□□□ □□ □□.4:□

5000 pcs 7-3 pcs . pcs 100,000 pcs 15-7 pcs

□□□□□□□□ □□□□□□ □□□□□ □□ .5 :□

000000 .0000000000 00000000 00000000 0000 00 0000 0 000000000 00000000 00000 000000 0000 : OEM 0000
.00000000 0000

□□□□□ □□ □□□□□ □□□□ □□□ □□ .6 :□

RFID/RFID Keybod/RFID RFID RFID 20

