

280 1990년대 초반부터 시작된 '신도시' 개발은 수도권 집중 현상을 완화하고, 지역균형발전을 촉진하는 데 크게 공헌했다. 특히, 서울-수도권 광역권에서 '신도시'가 형성되면서, 수도권 내의 인구 분포가 더욱 다양해졌고, 지역 간 격차가 줄어들었다. 이는 수도권 지역의 지속 가능한 성장을 위한 중요한 기반이 되었다.

□□□□ □□□□ (□□□ 280) □□□ 600 □□□□ □□□□ □□□□ □□□□□□□□ □□□

2 2 L 2 W 2 3 FI ()

[illegible]

S N O g N C / C O M + / .

[illegible]




- .600 280 24 12 VDC (.
- .12
- MOV .
- . -
- LED .
- (NO / NC / COM)
- (NO / NC / COM)
- .
-
-
-
- CE

OEM / ODM



LED . .

ACM-Y280W 24 12 7 PCB . 24 12 7 .



24 12 7

- 24 12 7 ACM Goldbridge .
 - ACM Goldbridge .
 - .

24 12 7

STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .



2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.




4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.




8 Place the rubber ring between armature plate and door leaf.



9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.




12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

📦📦📦📦📦📦📦📦📦📦

📦📦📦📦📦📦

📦 📦📦 📦📦📦 📦📦📦 DHL 📦 FEDEX 📦 TNT 📦 UPS 📦 EMS 📦 Forwarder by SEA 📦 AIR

.📦 📦📦📦📦 📦📦📦📦 📦📦📦📦📦📦📦📦📦

📦📦📦📦📦📦📦📦📦📦

📦 📦📦📦📦📦 📦 📦📦 10 📦 📦📦📦📦📦 📦📦 📦📦📦 1 :📦📦📦📦📦📦📦📦📦📦

📦📦📦📦📦 📦📦 📦📦📦📦 50 .📦📦 26 :📦📦📦📦📦📦📦📦📦📦 📦 📦 16 * 30 * 35 :📦📦📦📦📦📦📦📦📦📦



You may need



ACM-Y280N

(280mm) 280mm 280mm 280mm 280mm
280mm 280mm 280mm :280mm (280mm 600 /
280mm 280mm | 280mm 280mm 280mm 280mm

ACM-Y180

(300mm / 180mm) 300mm 180mm
:300mm 180mm 280mm 280mm 280mm
280mm 280mm 280mm 280mm 280mm 280mm
280mm 280mm 280mm.

ACM-Y280[illegible]

ACM-Y280-L

□□□ L □□□ 350 / □□□ 280 □□□□□□□□ □□□□

ACM-Y180ZL

□□□ ZL 300 / □□□ 180 □□□□□□ □□□□
□□□

ACM-Y280-ZL

□□□ ZL 350 / □□□ 280 □□□□□□□□ □□□□
□□□

خدمتنا

سيتم الرد على أي استفسارات في غضون 24 ساعة ، 1
2 ، الصانع والمورد المهني ، مرحبا بكم في زيارة موقعنا على شبكة الإنترنت ومصنعنا
متاح OEM / ODM ، 3
سعر معقول وتنافسية ، مهلة سريعة ، 4 fashion ، جودة عالية ، تصميم
5 ، خدمة ما بعد البيع:
(1) ، سيتم فحص جودة جميع المنتجات بدقة في المنزل قبل التعبئة
(2) ، جميع المنتجات سوف تكون معبأة بشكل جيد قبل الشحن
(3) ، جميع منتجاتنا لها ضمان لمدة 2-3 سنوات إذا لم يكن الضرر ناتجًا عن الإنسان
6 ، تسليم أسرع : حوالي 1 ~ 5 أيام لعينة النظام ، 7 ~ 30 يوما للطلب بالجملة
ويسترن يونيون ، باي بال. ، T / T : 7 ، الدفع: يمكنك الدفع مقابل الطلب عبر
يمكنك أيضًا اختيار وكيل الشحن الخاص ، By AIR و Forwarder by SEA و EMS و UPS و TNT و FEDEX و DHL ، 8 الشحن: لدينا تعاون قوي مع
بك.

التعليمات

1. :
نحن نرحب بمرحبكم في موقعنا على الإنترنت. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا.

2. :
نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا.

3. :
نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا.

4. :
نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا.

5. :
نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا.

6. :
نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا. نحن نهدف إلى توفير أفضل خدمة ممكنة لجميع عملائنا.