



ACM No Touch EXIT door lock is a contactless door lock.

1. The lock is made of stainless steel.
2. The lock has a 500000 capacity.
3. The lock is suitable for use in hospitals, schools, and other public places.
4. The lock is easy to install and use.

ACM No Touch EXIT door lock is a contactless door lock.

8
6
L
x
8
6
W
x
8
6
H
(
□
□
)
D
C
E
S
I
G
N

□□□□ □□□□□ □□□□□ □□□□□ □□:

. □□□□□ □□□□□□) □□□□□ □□□ / □□□□□ □□□□□□ □□□□□ □□□

. □□□□□□□□ / □□□□□□□□ □□□ □□□□□□□ □□□□□□

□□□□□□ □□□□□□ · IP-55 / SUS 304 □□□□□ □□□□□□□ □□□□□□□ □□□□□

(□□□□□ □□□□□□) □□□□□□□□□□ □□□□ □□□□ .

□□□□□□□□□ □□□□□□□□ □□□□□□□□ □□ □□□□□□□ .

□□□ 10 ~ 0.1 :□□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□

□□□□□□ □□□□□□□□ / □□□□□□ / □□□□□□ / □□□□□□□□ :□□□□□□□□□□

3) □□□□□□□□ □□□□□□ □□□□□□□□ □□□□□□ □□□□□□ ·A / AC120V □□□□□□ DC30V)

. □□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□ □□□□□□□□ □□□□□□□□

□□□□□□□□ · LED :□□□□□□ □□ □□□□□□□□□□ □□□□□□□□□ □□□□□□□□

□□□□□□□□□□ □□□□□□□□□□ □□□□ (1): BLUE LED ON


(2) □□□ 10 □□ □□□□□□□□□□ □□□□□□ □□ □□□□□□□□ □□□□□□□□□□: RED LED ON







+12V	GND	NO	COM	NC
Red	Black	Yellow	White	Orange



Installation



Sensing Range



LED Indicator



A: Black / PC Lens

B: Round Shape LED Indicator

Power OFF




White
(Round Circle)

Power On / Standby




Blue LED Indicator ON
(Round Circle)

Power On / Beam Broken



Red LED Indicator ON
(Round Circle)



□□□□ □ □□□□ & □□□□□□□□

□□□□ :□□□□□□ □□□
 □□□ 0.3 :□□□□□□ □□□
 □□ 8 × □□ 10 × □□ 10 :□□□□□□ □□□





EXW
FCA FOB
CIF CFR

RFID 2000

RFID 2000 ... CO, FTA, Form F, Form E ... EXW, FOB, FCT, CIF, CFR ...

RFID 2000

RFID 2000 ...





□□ □□□□ □□□ □□ □□ Realese
K2B: 86 * 86 □□

□□□ □□□□□□ □□□□ □□ Realese □□□□
□□□□□□□□□□
K9A: 115 * 40 □□

□□□□□□□ □□□□□□□) □ □□□□□ □□□□□ □□
□□□□□ □ NO / NC) K5B: 86 * 86mm



.RFID RFID RFID RFID RFID RFID RFID RFID

RFID RFID RFID RFID **.6 :**

RFID RFID RFID RFID RFID RFID RFID RFID RFID RFID / RFID / RFID keybod / RFID RFID rfid
RFID 20 RFID RFID RFID RFID RFID RFID RFID RFID RFID RFID.