

13.56Mhz Ntag213 Ntag215 Ntag216 Pvc
 NFC
 RFID

13.56Mhz Ntag213 Ntag215 Ntag216 Pvc

RFID
NFC
UHF
NFC Inlays, NFC
NFC Epoxy Tag, NFC

RFID Tag Specifications	
Frequency	LF(125KHz): TK4100, EM4100, EM4200, EM4305, T5577, 5200 e tc HF(13.56MHz): Fudan F08, NFC tags, Proximity cards UHF(860-960MHz): H3, Impinj Monza, Monza R6
Standards	LF: ISO11784 /785 , HF: ISO14443A /15693 , UHF: ISO18000-6C
Dimensions	85.5*56 *0.05mm thickness, 0.5mm thickness
Capacity	64Bit, 144byte, 504byte, 888byte, 1K bits, 128byte, ect
Material	PVC, PET, ABS, Paper, Paper, Paper
Read Range	≥100000 cm
Read Distance	LF/HF: 1-5cm, UHF: 1-10m (depends on the reader and the tag)
Application	Access control, Identification, Inventory management, Logistics, etc
RFID Tag Features	
Display	0.96 inch kscreen display, 0.96 inch display
Barcode	Barcode, QR code, QR code, QR code, etc
URL	URL, Email, Email, Email, Email
RFID Tag Size	
Size	Size: 39x27x7cm, Size: 50x25x22cm
Quantity	200 pieces/box, 5000 pieces/box
Price	35 pieces/box





00011451

0001297626 019.52442

0007783785 118



UHPPOTE 0012313629 187.58397



Packing & Delivery



Packing

with or without polybag separate package

200pcs/ box, 180pcs/bag, 150pcs/bag

25boxes/carton, 16boxes/carton, 6boxes/carton or as required



Shipping

We have different shipping options available for your choice

International door to door Express

By Air(Faster and Cheaper for large order)

By Ship(Cheapest shipping way)

Our Service

1° 00' 00" 24 00' 00" 00' 00"

[illegible]

3, OEM / ODM

4, 0000 00000, fashin desing, 000000000000 000 0000000000000000 00000, 00000 00000000
000

[illegible]

1) □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□

2) □□□□□□ □□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□

3) □□□□□□ □□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□ □□□□

2-3 □□□□ □□□□□□□□ □□□□

6, □□□□ □□□□ : □□□□ □□□□ □□□□ 1 ~ 5 □□ , □□□□ □□□□ □□□□ 7 ~ 30 □□

7, 00000000: 0000 000000 0000 00000: T/T, 00000000000 0000000, 00000000, 000 0000000000
0000000000

8. :

[illegible]

ACM

2

