

RFID MIFARE 1k 13.56Mhz

RFID

RFID NFC

RFID (Radio Frequency Identification) is a technology that uses electromagnetic fields to identify and track objects. It is widely used in various applications, including access control, inventory management, and logistics.

UHF (Ultra High Frequency) RFID tags operate in the 860-960 MHz range. They are typically used for long-range identification and tracking, such as in supply chain management and warehouse inventory.

NFC (Near Field Communication) is a subset of RFID technology that operates at 13.56 MHz. It is used for short-range communication, such as contactless payments and data exchange between mobile devices.

NFC Inlays, NFC Epoxy Tag, NFC Antennas, NFC Readers, NFC Writers, NFC Emulators, NFC Security, NFC Applications, NFC Standards, NFC Protocols, NFC Specifications, NFC Certifications, NFC Compliance, NFC Testing, NFC Development, NFC Integration, NFC Deployment, NFC Maintenance, NFC Troubleshooting, NFC Support, NFC Training, NFC Documentation, NFC Research, NFC Innovation, NFC Future, NFC Trends, NFC Market, NFC Industry, NFC Ecosystem, NFC Community, NFC Network, NFC Infrastructure, NFC Services, NFC Solutions, NFC Products, NFC Companies, NFC Partners, NFC Suppliers, NFC Distributors, NFC Retailers, NFC Customers, NFC Users, NFC Stakeholders, NFC Ecosystem, NFC Community, NFC Network, NFC Infrastructure, NFC Services, NFC Solutions, NFC Products, NFC Companies, NFC Partners, NFC Suppliers, NFC Distributors, NFC Retailers, NFC Customers, NFC Users, NFC Stakeholders.

RFID	
RFID	LF(125KHz): TK4100, EM4100, EM4200, EM4305, T5577, 5200 e tc HF(13.56MHz): Fudan F08, NFC , UHF(860-960MHz): H3, Impinj Monza,
RFID	LF: ISO11784 /785 , HF: ISO14443A /15693 , UHF: ISO18000-6C
RFID	85.5*56 *0.00 ,
RFID	64Bit, 144byte, 504bye, 888byte, 1K , 128byte, ect
RFID	ABS, ,
RFID	≥100000
RFID	LF/HF: 1-5cm, UHF: 1-10m ()
RFID Application	, , , , tc
RFID	
RFID	kscreen ,
RFID	, QR , , tc
RFID-Application	URL, , ,
RFID	
RFID	: 39x27x7cm, : 50x25x22cm
RFID	200 /, 5000 /
RFID	35 /





00011451

0001297626 019.52442

0007783785 118



UHPPOTE 0012313629 187.58397



Packing & Delivery



Packing

with or without polybag separate package

200pcs/ box, 180pcs/bag, 150pcs/bag

25boxes/carton, 16boxes/carton, 6boxes/carton or as required



Shipping

We have different shipping options available for your choice

International door to door Express

By Air(Faster and Cheaper for large order)

By Ship(Cheapest shipping way)

Our Service

1° 00' 00" 24 00' 00" 00' 00"

[illegible]

3, OEM / ODM

4, 0000 00000, fashin desing, 000000000000 000 0000000000000000 00000, 00000 00000000
000

[illegible]

1) □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□□□

2) □□□

[illegible]

6, □□□□ □□□□ : □□□□ □□□□ □□□□ 1 ~ 5 □□ , □□□□ □□□□ □□□□ 7 ~ 30 □□

7, 00000000: 0000 000000 0000 00000: T/T, 00000000000 0000000, 00000000, 000 0000000000
0000000000

8. :

[illegible][illegible]

ACM

2

