


[illegible]

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100



1. 100lbs
- 2.
3. MOV
- 4.
- 5.
- 6.
- 7.

OEM / ODM

Mini Single Door Magnetic Lock

Stable Holding Force


magnetic locks
have 60kg(100 lbs) linear pulling force.



Aluminum Shell

Shell with high strength alloy material,
anode hardening treatment.






NE-60
Lock Size: 80L*33W*19H(mm)

- 支援 DC12V/DC24V 電壓
- 鎖體 60Kgs/120Lbs
- 防拆防撬防剪防拉防壓
- 防電磁干擾
- 防電磁脈衝
- 防電磁場



Double Insulation

Lock body with double insulation treatment.



special Used to Small Cabinet Door

Saves time and power when installation.



□□□□
□□□DHL□FEDEX□TNT□UPS□EMS□SEA□AIR□□□□□□□□□□□□
□□□□□□□□□□□□□□

□□
□□□□□□□□1□□□□24□□
□□□20 * 9.5 * 5cm□□□□0.6Kgs



You may need



ACM-Y280N

280kgs / 600lbs
 280kgs / 600lbs

ACM-Y180

180kg / 300lbs
 180kg / 300lbs

ACM-Y280

280kg / 600lbs
 280kg / 600lbs

3 OEM / ODM

4 fashin

5

1

2

3 2-3

6 1 5 7 30

7 T / T Western Union Paypal

8 DHL FEDEX TNT UPS EMS SEA AIR

1.

2

TT / T Paypal Western Union

DHL FedEx TNT UPS

3.

4

35,000 3-7 100,000 7-15

5

OEM

6

20 RFID / NFC / RFID / RFID RFID