



125KHZ ID Wiegand26
 ARM 32 Weigand /



0
0
0
D
C
0
E
V
.
E
0
0
0
A
E
0
0
A
E
0
0
C
0
°C
0
9
0
0
0
0
9
x
7
x
2
2
m
m
.
0
0
0
0
0
0
0
0
0
0



Large storage capacity



Card capacity

10000 sheets



Face capacity

1000 sheets



Fingerprint capacity

300 pieces

Rugged metal body



HD
dual camera



32-bit
microcontroller



Semiconductor fingerprint recognition

Advanced live semiconductor fingerprint collector is adopted
Recognition sensitive and fast



HD dual camera

Night vision infrared fill light

HD color

Not affected by external light,
sensitive identification



Infrared dual camera

Face is not affected by accessories,
high recognition rate





□□□□

□□Wiegand 26/34□□□□□□□□□□□□□□



ACM223.

RFID EM 125/4000
US 125kHz

ACM209-NW.

RFID 125khz em

ACM208.

RFID



ACM210

□□□□RFID□□□□□□□□□□□□

ACM225

RFID□□□□□□□□□□125khz em□□□□
□Wiegand Reader

ACM211B.

□□□□□□□□RFID□□□□□□□□□□Wiegand□□
□

□□□□□□

- 1 24
- 2
- 3 OEM / ODM
- 4
- 5
- 1
- 2
- 3 2-3
- 6 1 5 7 30
- 7 T / T PayPal Ali
- 8 DHL FedEx TNT UPS EMS

1

2
- T / T PayPal
DHL FedEx TNT UPS

3

4
3000 3-7 7-15 100,000

5
OEM

6
RFID / NFC / RFID / RFID RFID 20