

ANIMAL TAG READER

RESPONSIVE AND FAST RECOGNITION

EMID、FDX-B(ISO11784/85)



01

SUPPORT MULTIPLE TAGS

SUPPORT EMID、FDX-B(ISO1784/85)



MULTI-PROTOCOL SUPPORT, STRONG COMPATIBILITY



02

OLED SCREEN

High-brightness OLED screen,
can display clearly in sunlight



03

STORAGE FUNCTION

The machine has its own storage function, which can store up to 128 pieces of label information. Can be uploaded to computer via USB cable.



04

RECOGNIZE QUICKLY

Read response time <100ms, improve work efficiency, one step faster



05

CONTACTLESS CARD READER

Using advanced RFID radio frequency technology Identify the farther distance

2-12mm glass tube label $> 8\text{cm}$

30mm animal ear mark $> 20\text{cm}$
(related to label performance)



$>8\text{CM}$



$>20\text{CM}$



SPECIFICATION



MODEL	W90B
WORKING FREQUENCY	134.2Khz/125Khz
LABEL FORMAT	EMID、FDX-B(ISO11784/85)
READING DISTANCE	2-12mm glass tube label >8cm 30mm animal ear mark >20cm (related to label performance)
STANDARD	ISO11784/85
READ TIME	<100ms
SIGNAL INDICATION	0.91 "high brightness OLED screen, buzzer
POWERED BY	3.7V (lithium battery)
STORAGE	128 pieces of information
COMMUNICATION INTERFACE	USB2.0
LANGUAGE	English or customized
OPERATING TEMPERATURE	-10°C~50°C
STORAGE TEMPERATURE	-30°C~70°C
WEIGHT	120g


PRODUCT PHOTOS







SCENE APPLICATION



RFID Unmanned Supermarket Management



RFID Vehicle Tracking Management



Trash Can management system




RFID books management



Running race timing system



RFID laundry management



RFID Warehouse Inventory Management

- ACM Goldbridge 2000
- ACM Goldbridge
-

1. 24小時服務熱線
2. 專業技術支持團隊
3. OEM / ODM 服務
4. 支持 fashion 品牌
5. 價格公道
6. 15 天退換貨服務
7. 支持 T / T, Western Union, Paypal
8. 支持 DHL, FEDEX, TNT, UPS, EMS 等物流方式

第6章 RFID

RFID / NFC / RFID / RFID