

規格

概要

▲ 仕様

▲ 仕様

▲ 仕様

▲ 10℃/25℃

仕様

▲ UPS ▲ 仕様

▲ 仕様 ▲ Dc仕様

▲ 仕様 ▲ 仕様

▲ 仕様 ▲ 仕様



▲ 仕様 ▲ ETC

仕様


仕様	仕様
仕様	12V/6Ah
仕様	2.3 2 0hrs/1.80V/Cell/25°C/77°F
	2.08 10 HRS/1 80 v/cell/25°C/77°F
	1.97 5 HRS/1.75V/Cell/25°C/77°F
	1.42 AH/1.60V/Cell/25°C/77°F
仕様	仕様 178 ± 2 mm
	仕様 34 ± 2mm
	仕様 60 ± 2mm
	仕様 65 ± 3mm
仕様	0.89
仕様	F1
仕様	仕様
仕様	750m ω
仕様	仕様-15-50 °C 5-122 °f
	仕様0-40 °C 32-104 °f
	仕様-15-40 °C 5-104 °f
仕様	25 ± 3 °C 77 ± 5 °f
仕様	14.4V-15.0V/25 °C /77 ° f 30mv/ °C 0.66a
仕様	13.5V-13.8V/25 °C /77 ° f 20mv/ °C
仕様	102/40 °C 104 ° f
	100/25 °C 77 ° f
	80/0 °C 32 ° f

仕様


Konglida25°F6



Discharge characteristic Curve




Temperature Effects in Relation to Battery Capacity




Cycle Life in Relation to Depth of Discharge


Testing condition
Discharging: current 0.17C (FV 1.7V/cell);
Charging: current 0.25C max, voltage 2.45V/cell;
Charging volume: 125% of discharged capacity.



Storage characteristics



Effect of temperature on long term float life







MODEL	12V 2.3AH
Q'TY:	20 PCS



Protective cap for terminals



Copper silver plated terminals

Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School



SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

Whatsapp: +86-13554918707 :E-mail: sales@goldbridgesz.com:

Website: www.goldbridgesz.com

Factory Wholesale Exit Button/Adapter/Linear Power Supply



ACM-A80-3A

US\$4.29-4.64

[MORE](#)



ACM-A90-3A

US\$4.46-4.83

[MORE](#)



ACM-A90-8A

US\$7.71-8.36

[MORE](#)



ACM-AP105

US\$6.0-6.5

[MORE](#)



ACM-E60-5B

US\$8.23-8.91

[MORE](#)



ACM-K80-3A

US\$4.97-5.39

[MORE](#)



ACM-WG05 Dual

US\$25.71-27.86

[MORE](#)



ACM-WG05-3.6

US\$10.29-11.14

[MORE](#)



ACM-WG05-5A

US\$11.14-12.07

[MORE](#)



ACM-WG06-5B

US\$15.09-16.34

[MORE](#)



ACM-WG06-5A

US\$13.71-14.86

[MORE](#)



ACM-WG06-20A

US\$16.29-17.64

[MORE](#)



ACM-WG06-20A

US\$16.29-17.64

[MORE](#)



ACM-WG07-5A

US\$10.29-11.14

[MORE](#)



ACM-WG07-10AB

US\$12.86-13.93

[MORE](#)



ACM-WG08-5A
US\$9.43-\$10.21

[MORE](#)



ACM-WG09-5A
US\$12-\$13

[MORE](#)



ACM-WG11-10A
US\$16.29-\$17.64

[MORE](#)



ACM-18V
US\$10.29-11.14

[MORE](#)



ACM-1220
US\$1.71-1.86

[MORE](#)



ACM-1230
US\$2.23-2.41

[MORE](#)



ACM 12V5A
US\$7.71-8.36

[MORE](#)



ACM-100-12
US\$5.14-5.57

[MORE](#)



ACM-120-12
US\$5.49-5.94

[MORE](#)



ACM-250-12
US\$8.57-9.29

[MORE](#)



ACM-3A
US\$4.29-4.64

[MORE](#)



ACM-10A
US\$6.86-7.43

[MORE](#)

Contact Us



+86-13554918707
Lily Jiang

Order Online



<http://www.goldbridgesz.com>



lily@goldbridgesz.com

facebook

Lily Jiang



sales@goldbridgesz.com

You May Need

Complete Door Access Control Solution Provider



RFID Card



RFID Key fob



RFID Wristband



RFID Reader



**Long Distance
UHF Reader**



**Access Control
Reader**

條款

1. 本合約有效期間為 24 個月
2. 本合約有效期間自雙方簽署之日起算
3. OEM/ODM 合約
4. 本合約由 Fashin Desing 負責設計及生產
5. 本合約由 雙方 簽名
1. 本合約有效期間自雙方簽署之日起算
2. 本合約有效期間自雙方簽署之日起算
3. 本合約有效期間為 2 - 3 個月
6. 本合約有效期間自雙方簽署之日起算 15 個月 7. 30 天
7. 本合約有效期間自雙方簽署之日起算 T/T 合約

條款

1. 本合約有效期間自雙方簽署之日起算
 2. 本合約有效期間自雙方簽署之日起算
 3. 本合約有效期間自雙方簽署之日起算
 4. 本合約有效期間自雙方簽署之日起算
 5. 本合約有效期間自雙方簽署之日起算
 6. 本合約有效期間自雙方簽署之日起算
1. 本合約有效期間自雙方簽署之日起算
2. 本合約有效期間自雙方簽署之日起算
3. 本合約有效期間自雙方簽署之日起算
4. 本合約有效期間自雙方簽署之日起算
5. 本合約有效期間自雙方簽署之日起算
6. 本合約有效期間自雙方簽署之日起算