

規格

仕様

▲ 仕様

▲ 仕様

▲ 仕様

▲ 10℃25℃

仕様

▲ UPS ▲ 仕様

▲ 仕様 ▲ Dc仕様

▲ 仕様 ▲ 仕様

▲ 仕様 ▲ 仕様

▲ 仕様 ▲ ETC

仕様


仕様	仕様
仕様	12V6
仕様	6 2 0℃25℃/77°F
	5.5 10 HRS℃25℃/77°F
	3.90 AH℃1℃25℃/77°F
仕様	仕様 151 ± 2mm
	仕様 65 ± 2mm
	仕様 95 ± 2mm
	仕様 102 ± 3mm
仕様	1.7
仕様	F1F2
仕様	仕様
Max.Discharge	55a5s
仕様	46m ω
仕様	仕様-15-50 °C 5-122 °f
	仕様0-40 °C 32-104 °f
	仕様-15-40 °C 5-104 °f
仕様	25 ± 3 °C 77 ± 5 °f
仕様	14.4V-15.0V℃25 ° / 77 ° f 30mv/ °C 1.95a
仕様	13.5V-13.8V℃25 ° / 77 ° f 20mv/ °C
仕様	103℃40 °C 104 ° f
	100℃25 °C 77 ° f
	86℃0 °C 32 ° f

仕様


Kglida℃25℃77°F6

□□□□□□	1□□	3□□	6□□	12□□
□□□□ 25°C□77°F□	90□	75□	65□	55□


□□□




□□□



Discharge characteristic Curve




Temperature Effects in Relation to Battery Capacity




Cycle Life in Relation to Depth of Discharge


Testing condition
 Discharging: current 0.17C (FV 1.7V/cell);
 Charging: current 0.25C max, voltage 2.45V/cell;
 Charging volume: 125% of discharged capacity.



Storage characteristics



Effect of temperature on long term float life









PJ [®] **CE**



VALVE REGULATED LEAD-ACID BATTERY
6-PM-7
12V7AH/20HRD5°C

CONSTANT VOLTAGE CHARGE
• CYCLE USE: 14.5 - 14.8V
• STANDBY USE: 13.5 - 13.8V
• INITIAL CURRENT: LESS THAN 1.0A

CAUTION

- AVOID SHORT CIRCUIT
- DO NOT CHARGE IN A SEALED CONTAINER



VALVE REGULATED LEAD-ACID BATTERY

6-FM-7

12V7AH/20HR(25 °C)

CONSTANT VOLTAGE CHARGE

- CYCLE USE:14.5 ~ 14.9V
- STANDBY USE:13.5 ~ 13.8V
- INITIAL CURRENT:LESS THAN 2.1A

CAUTION

- AVOID SHORT CIRCUIT
- DO NOT CHARGE IN A SEALED CONTAINER

Protective cap for terminals



Copper silver plated terminals

Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School



SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

Whatsapp: +86-13554918707 :E-mail: sales@goldbridgesz.com:

Website: www.goldbridgesz.com

Factory Wholesale Exit Button/Adapter/Linear Power Supply



ACM-A80-3A

US\$4.29-4.64

[MORE](#)



ACM-A90-3A

US\$4.46-4.83

[MORE](#)



ACM-A90-8A

US\$7.71-8.36

[MORE](#)



ACM-AP105

US\$6.0-6.5

[MORE](#)



ACM-E60-5B

US\$8.23-8.91

[MORE](#)



ACM-K80-3A

US\$4.97-5.39

[MORE](#)



ACM-WG05 Dual

US\$25.71-27.86

[MORE](#)



ACM-WG05-3.6

US\$10.29-11.14

[MORE](#)



ACM-WG05-5A

US\$11.14-12.07

[MORE](#)



ACM-WG06-5B

US\$15.09-16.34

[MORE](#)



ACM-WG06-5A

US\$13.71-14.86

[MORE](#)



ACM-WG06-20A

US\$16.29-17.64

[MORE](#)



ACM-WG06-20A

US\$16.29-17.64

[MORE](#)



ACM-WG07-5A

US\$10.29-11.14

[MORE](#)



ACM-WG07-10AB

US\$12.86-13.93

[MORE](#)



ACM-WG08-5A
US\$9.43-\$10.21

[MORE](#)



ACM-WG09-5A
US\$12-\$13

[MORE](#)



ACM-WG11-10A
US\$16.29-\$17.64

[MORE](#)



ACM-18V
US\$10.29-11.14

[MORE](#)



ACM-1220
US\$1.71-1.86

[MORE](#)



ACM-1230
US\$2.23-2.41

[MORE](#)



ACM 12V5A
US\$7.71-8.36

[MORE](#)



ACM-100-12
US\$5.14-5.57

[MORE](#)



ACM-120-12
US\$5.49-5.94

[MORE](#)



ACM-250-12
US\$8.57-9.29

[MORE](#)



ACM-3A
US\$4.29-4.64

[MORE](#)



ACM-10A
US\$6.86-7.43

[MORE](#)

Contact Us



+86-13554918707
Lily Jiang

Order Online



<http://www.goldbridgesz.com>



lily@goldbridgesz.com

facebook

Lily Jiang



sales@goldbridgesz.com

You May Need

Complete Door Access Control Solution Provider



RFID Card



RFID Key fob



RFID Wristband



RFID Reader



**Long Distance
UHF Reader**



**Access Control
Reader**

條款

1. 本合約有效期間為 24 個月
2. 本合約有效期間內，雙方均不得單方面終止合約
3. OEM/ODM 合約
4. 本合約由 Fashin Desing 負責設計及生產
5. 本合約由 雙方 簽名
1. 本合約有效期間內，雙方均不得單方面終止合約
2. 本合約有效期間內，雙方均不得單方面終止合約
3. 本合約有效期間內，雙方均不得單方面終止合約
6. 本合約有效期間內，雙方均不得單方面終止合約
7. 本合約有效期間內，雙方均不得單方面終止合約

條款

1. 本合約有效期間內，雙方均不得單方面終止合約
2. 本合約有效期間內，雙方均不得單方面終止合約
3. 本合約有效期間內，雙方均不得單方面終止合約
4. 本合約有效期間內，雙方均不得單方面終止合約
5. 本合約有效期間內，雙方均不得單方面終止合約
6. 本合約有效期間內，雙方均不得單方面終止合約