



D **E** **N** **F** **C** **P** **E** **T**

9
□
7
*
8
.
7
m
□m
□
□
□
□
□
□
1
*
1
7
m
□m
8
*
1
5
m
□m
1
2
*
1
2
m
□m
7
.
7
*
1
4
.
8
8
m
□m
8
*
1
4
m
□m
8
*
1
8
.
5
m
□m
5
.
4
*
1
9
m
□m
8
*
1
9
.
5
m
□m
9
.
8
*
1
6
.
4
5
m
m
□
□
□
□

MIFARE[®] 4KMIFARE[®] EV1

MIFARE MIFARE Ultralight NXP B.V.

MIFARE® 1K® EV1 2K

MIFARE® 1K® EV1 4K

MIFARE® 1K EV1 8K

MIFARE DESFire NXP B.V.

MIFARE Plus® 2K


MIFARE Plus® 4K

MIFARE MIFARE Plus NXP B.V.

NTAG® 213 / NTAG® 215 / NTAG® 216

NTAG NXP B.V.

ICODE□□□□ISO15693□





RFID tag dimensions: 1.5cm x 2cm

RFID tag specifications: RFD micro FPC, 18.45 * 9.8mm, HF, 13.56mhz

RFID tag material: FPC, IP 67







□□□□

125Khz TK4100□□RFID□□□

ACMM-MF1

13.56MHz MF1K□□F08 RFID□

ACM□□

125khz□13.56mhz□860-960mhz□□□





□□□□□□□□NFC□□□□

--	--	--	--	--



Shipment



Our Service

1. 24 hours service
2. OEM / ODM service
3. fashin service
4. 2-3 days service
5. 1-5 days service
6. 7-30 days service
7. DHL, FEDEX, TNT, UPS, EMS, SEA, AIR service
8. ACM Goldbridge service

ACM Goldbridge

ACM Goldbridge 2000
ACM Goldbridge 2000
ACM Goldbridge 2000



1.000000

[illegible]

2

Paypal

□□□□□□□□□□□□□□**DHL**□**FedEx**□**TNT UPS**□□

3. 数据源

□ □

4

5000 3-7 100,000 7-15

0050000000000000

OEM

6

RFID / NFCtags / RFID / RFID