

RFID

13.56MHz RFID

RFID

◆mirco 10mm 8.7mm

◆

◆PET PVC

◆4C LOGO

◆

◆

◆



RFID NFC RFID NFC 4 CMYK LOGO RFID

Great Creativity White RFID NFC Clear RFID NFC On Metal RFID NFC






RFID

Chip type	Protocol	Capacity	Anti collision	Function
NTAG® 213	ISO14443A	180 Byte	NO	Read/write
NTAG® 215		540 Byte	NO	
NTAG® 216		924 Byte	NO	
NTAG® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Classic® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Classic® 4K		4KB	NO	
MIFARE Ultralight® EV1		640 Bit	NO	
MIFARE Ultralight® C		1184 Bit	NO	
MIFARE and MIFARE Classic® are registered trademarks of NXP B.V. and are used under license.				
MIFARE and MIFARE Ultralight® are registered trademarks of NXP B.V. and are used under license.				
MIFARE Plus® 1K	ISO14443A	1KB	NO	Read/write
MIFARE Plus® 2K		2KB	NO	
MIFARE Plus® 4K		4KB	NO	
MIFARE and MIFARE Plus® are registered trademarks of NXP B.V. and are used under license.				
MIFARE® DESfire® EV1 2K	ISO14443A	2KB	NO	Read/write
MIFARE® DESfire® EV1 4K		4KB	NO	
MIFARE® DESfire® EV1 8K		8KB	NO	
MIFARE® DESFire® are registered trademarks of NXP B.V. and are used under license.				
ICODE® SLIX	ISO15693	1KB	Yes	Read/write
ICODE® SLIX-S		2KB	Yes	
ICODE® SLIX-L		512 Bits	Yes	
ICODE® SLIX-M		1KB	Yes	
ICODE® are registered trademarks of NXP B.V. and are used under license.				









□□□□

125Khz TK4100□□RFID□□□

ACMM-MF1

13.56MHz MF1K□□F08 RFID□

ACM□□

125khz□13.56mhz□860-960mhz□□□



ACM-S001-UHF

□□□□□□□□□□

ACM-UHF-P□□□□□

860-960Mhz□□□□□□□□

ACM-NFC-□□

□□□□□□□□NFC□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□



- 1 24
2
3 OEM / ODM
4 fashin
5
1
2
3 2-3
6 1 5 7 30
7
8 DHL FEDEX TNT UPS EMS SEA AIR

ACM Goldbridge 2

ACM Goldbridge

1.

2.

Paypal

DHL FedEx TNT UPS

3.

4.

5000 3-7 100,000 7-15

5.

OEM

6.

20 RFID / NFCtags / RFID / RFID